

SALISBURY INSULATED HAND TOOLS

Every insulated hand tool is rated for exposure up to 1000VAC and dielectrically tested at 10,000VAC. These tools meet or exceed current ASTM F1505-07 and IEC 900 Standards for Insulated Hand Tools. These tools will help you to be compliant with OSHA 29 CFR 1910 Subpart S and NFPA 70E.

TO FULLY COMPLY WITH OSHA 1910.333 (C)(2) AND NFPA 70E, INSULATED HAND TOOLS MUST BE USED. A COMPLETE INSULATED TOOL PROGRAM SHOULD BE IN PLACE TO MEET THESE STANDARDS.

The insulating material used is impact resistant and flame retardant. The two-color insulation makes inspection easier which adds to the overall safety. If the yellow under layer is showing, the tool may no longer be insulated properly and should be considered for electrical retesting.

Meets IEC 900 Standard for Insulated Hand Tools
Exceed current ASTM F1505-07 Standards for Insulated Hand Tools
Helps Meet OSHA Requirements
Meets NFPA 70E Requirements
Tested to 10,000 VAC and Rated for 1,000 VAC Maximum Exposure
Impact Resistant & Flame Retardant Two-Color Insulating Material



**OFFERING OVER
2,000 TOOLS!**


**SEE OUR NEW NON-SPARKING
TOOL OFFERING SEE PAGE 84.**



WARNING: SALISBURY INSULATED TOOLS ARE TO BE USED AS SECONDARY PROTECTION AND ARE NOT INTENDED TO BE USED IN PLACE OF OTHER PERSONAL PROTECTIVE EQUIPMENT. WHENEVER POSSIBLE, ALWAYS DE-ENERGIZE LINES BEFORE WORKING ON OR AROUND THEM. ALTHOUGH THE INSULATION ON SALISBURY TOOLS IS IMPACT RESISTANT AND FLAME RETARDANT, EACH TOOL SHOULD BE INSPECTED PRIOR TO EACH USE FOR CRACKS, CUTS, OR OTHER DAMAGE. SHOULD THE YELLOW INSULATION BECOME VISIBLE THROUGH THE ORANGE OUTER LAYER, DISCONTINUE USE IMMEDIATELY.



INSULATED HAND TOOL MARKINGS



**OFFERING OVER
2,000 TOOLS!**

NOTE: Contact your local Salisbury by Honeywell Representative for your tool needs not seen here. Our tool line is capable of customizing and supplying almost any tool with protection up to 1000V. Salisbury can also supply customized tool kits and insulate almost any customer tools if necessary.



S101



S10TK23

THIS SET IS DESIGNED FOR
USE IN TIGHT WORK SPACES.

TELECOMMUNICATION TOOL BOX

CAT. NO.	DESCRIPTION
S101	16 pcs. Includes: 3/8"Dr ratchet 3/8"Drive torque ratchet 10"long 30-150 in/lb 3" Extension Regular sockets 12pt: 3/8", 7/16", 1/2", 9/16" 5/8" Deep socket 3/8"drive 9" Lineman Pliers 6" Needle nose Pliers 8" Slip joint Pliers Slotted screwdrivers: 3/16 x 4", 1/4 x 6", 5/16 x 6", 3/8 x 8" #2 x 6" Phillips screwdriver In a high impact plastic tool box

TELECOMMUNICATION TOOL POWER CONNECTING KIT

CAT. NO.	DESCRIPTION
S10TK23	24 pcs. Includes: Close quarters socket set 3/8"drive with ratchet 3" Extension Regular sockets 12pt: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" 6" Adjustable wrench Nut driver set 3": 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" In a high impact plastic tool box

INSULATED TOOL KITS

TK9



TK30



S10TK40



S10TK25



INSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK40	40 pcs. Includes: Narrow tip screwdrivers: 3/16 x 6", 1/4 x 6" Slotted tip screwdriver: 3/8 x 6" Phillips screwdrivers: #1 x 3", #2 x 6" Nutdrivers: 3/16 x 3", 1/4 x 3", 5/16 x 3", 11/32 x 3", 3/8 x 3", 7/16 x 3", 1/2 x 3", 9/16 x 3" Torque wrench 30 - 150 in/lb 3/8" Drive reversible ratchet 3", 6" and 12" Extensions, 3/8" drive 8 Pcs. 3/8" to 13/16" Deep 12 pt. socket set 8 Pcs. 3/8" to 13/16" Box end wrench set 6" Type "I" Hex wrenches, long arm: 3/16", 1/4", 5/16", 3/8" 10" Water pump Pliers In a high impact plastic tool box

DELUXE MAINTENANCE TOOL KIT

CAT. NO.	DESCRIPTION
TK30	29 pcs. Includes: Slotted screwdrivers: 1/8 x 2", 3/16 x 6", 1/4 x 4" Phillips screwdriver: #1 x 3", #2 x 6" Torque Wrench 3/8" drive 10" Long 30-150 In/Lb 3/8" Drive reversible ratchet 3" and 6" Extensions, 3/8" drive, 4nm -23nm 8 pcs. 3/8" to 13/16" Deep 12 pt. Socket set, 3/8" drive 8 pcs. 3/8" to 13/16" Box end wrench set 7-1/2" Diagonal cutting Pliers 8" Needle nose Pliers 9" Lineman Pliers Mini flashlight In a high impact plastic tool box

BASIC ELECTRICIAN ROLL

CAT. NO.	DESCRIPTION
TK9	9 pcs. Includes: Slotted screwdrivers: 3/16 x 4", 3/16 x 6", 1/4 x 6" Phillips screwdrivers: #1 x 3", #2 x 4" 8" Needle nose Pliers 7-1/2" Diagonal cutting Pliers 9" Lineman Pliers Combination stripper / crimper Pliers In a tool roll bag

OUTSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK25	24 pcs. Includes: 1/4 X 6" Narrow tip screwdriver #2 x 8" Phillips screwdriver Nutdrivers: 3/8 x 3", 7/16 x 3", 1/2 x 3", 9/16 x 3" Torque wrench 30 - 150 in/lb Reversible ratchet 3/8" drive 3", 6" and 12" Extensions, 3/8" drive 8 Pcs. 3/8" To 13/16" deep 12 pt. Socket set 6" Type "I" Hex wrenches, long arm: 3/16", 1/4", 5/16", 3/8" 10" Water pump Pliers In a high impact plastic tool box



TK60



S10TK12



TK30ETK

HOT BOX TOOL KIT WITHOUT TORQUE WRENCH

CAT. NO.	DESCRIPTION
TK60E	59 pcs. Includes: Slotted screwdrivers: 1/8 x 2", 3/16 x 4", 3/16 x 6", 1/4 x 6", 5/16 x 6" Phillips screwdriver: #2 x 4", #2 x 8" Nutdrivers: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 Reversible ratchet, 3/8"dr 3" and 6" Extensions, 3/8"dr 10 pcs 5/16" to 7/8", 3/8"Dr socket set 11 pcs 3/8" to 1" Box end wrench set 14 pcs. 1/16" to 1/2", 6" Long arm, type "I" hex wrench set 7-1/2" Diagonal cutting Pliers 8" Needle nose Pliers 9" Lineman Pliers 9-1/2" Cable cutting Pliers 10" Water pump Pliers Combination stripper / crimper Pliers In a plastic box, including tool pouch rolls

HOT BOX TOOL KIT

CAT. NO.	DESCRIPTION
TK60	60 pcs. Includes: Slotted screwdrivers: 1/8 x 2", 3/16 x 4", 3/16 x 6", 1/4 x 6", 5/16 x 6" Phillips screwdrivers: #2 x 4", #2 x 8" Nutdrivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2" Torque wrench 30 - 150 in/lb; 3/8"Dr, reversible ratchet 3" and 6" Extensions, 3/8"dr 10 pcs. 5/16" to 7/8", 3/8"Dr socket set 11 pcs. 3/8" to 1" Box end wrench set 14 pcs. 1/16" to 1/2", 6" Long arm, type "I" hex wrench set 7-1/2" Diagonal cutting Pliers , 8" Needle nose Pliers 9" Lineman Pliers 9-1/2" Cable cutting Pliers 10" Water pump Pliers Combination stripper/crimper Pliers In a plastic box, including tool pouch rolls

ELECTRICIAN'S TOOL KIT

CAT. NO.	DESCRIPTION
TK30ETK	30 pcs. Includes: 9" Lineman Pliers 8" HD slip joint Pliers with cutting shear Crimping tool 10" Tongue and groove Pliers (waterpump) Slotted screwdrivers: 3/16" x 4", 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8", 3/16" x 6" Phillips screwdrivers: #1 x 3", #2 x 4" Nut drivers: 1/4" x 3", 5/16" x 3", 3/8" x 3", 7/16" x 3", 1/2" x 3", 3/16" x 3", 11/32" x 3" 8" Long needle nose Pliers with side cutter 7" Box joint cutting Pliers 9-1/2" Pliers cutting Pliers 12" Tong and groove (waterpump) 6" Flat nose Pliers Long arm, type "t" hex wrenches: 3/16" 6", 1/4" 6", 5/16" 6", 3/8" 6", 7/16" 6", 1/2" 6" In a high impact plastic tool box

HVAC TOOL KIT

CAT. NO.	DESCRIPTION
S10TK12	HVAC tool kit - 23 pcs. Includes: Slotted screwdrivers: 3/16 x 4", 3/16 x 6", 1/4 x 4", 1/4 x 6", 5/16 x 6", 3/8 x 8" Phillips screwdrivers: #1 x 3", #2 x 4" Nutdrivers: 3/16 x 3", 1/4 x 3", 5/16 x 3", 11/32 x 3", 3/8 x 3", 7/16 x 3", 1/2 x 3" Type "I" hex wrenches, long arm: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" 8" Long needle nose Pliers w/ side cutter 12" Rectangular inspection mirror In a plastic box, including tool pouch rolls

INSULATED TOOL KITS



TK12HB
Electrical Kit for
Hybrid Vehicles



TK24SS
Substation Kit



TK16MT
Meter Kit



TK15LM
Lineman's Secondary Distribution Tool Kit



TK13TC SERVICE
TOOL KIT for Unigy™ I
& II Battery System

1000V ELECTRICAL INSULATED TOOL KIT FOR HYBRID VEHICLES - Do you have the necessary tools to guard against the dangers of electrocution from hybrid-electric vehicles?

Mechanics and firefighters should be cautious when working on hybrid vehicles because hybrid vehicles use a combination of a gasoline motor and a high voltage electric motor. The electric motor operates on voltages as high as 500 volts. That's more than eight times the lethal voltage! Don't be caught worrying about the "what ifs" while working on these vehicles.

1000V UTILITY INSULATED HAND TOOL KITS

Salisbury makes working in the field even easier with these three utility tool kits.

Salisbury offers three specially designed utility insulated hand tool kits. These convenient tool kits include everything you need for routine utility applications. Salisbury is proud to offer a 24 piece substation tool kit, a 16 piece meter tool kit and a 15 piece Lineman's Secondary Distribution Tool Kit. Each kit includes easy storage tool rolls and light weight tool box.

CAT. NO.	DESCRIPTION
TK12HB	Hybrid Tool Kit; Includes: 10" crimping tool, 9" side cutter, 8" slip joint cutter, 6" chain nose Pliers, 6" diagonal Pliers, 10" water pump Pliers, screwdrivers: #1 x 4, #2 x 4, 3/16" x 4, 1/4" x 4, 1/4" x 6, 5/16" x 6 and tool box
TK24SS	Substation Kit; Includes: (5) 3/8" - 3/4" box wrenches, (5) 3/8" - 3/4" std. Sockets, 3/8" ratchet with 3" & 6" extension, #1 x 3", #2 x 6", #3 x 6" phillips screwdrivers, skinning knife, (2) tool rolls and sturdy tool box
TK16MT	Meter Kit; Includes: 9" lineman's Pliers, 7" diagonal cutters, 8" long nose Pliers, 5/16", 3/8", 1/2" nut drivers, #1 x 3", #2 x 4", #3 x 6" phillips screwdrivers, 1/8" x 2", 1/4" x 6", 3/16" x 4", 3/16" x 6" slotted screwdrivers, fuse puler, (2) tool rolls and sturdy tool box
TK15LM	Lineman's Secondary Distribution Tool Kit; Includes: (9) 7/16" - 15/16" ratcheting box wrenches, skinning knife, 3/8" x 12" slotted screwdriver, 30" bolt cutter, 12" "v" groove Pliers, 9" spring loaded lineman's Pliers, 10" adj. Wrench, (2) tool rolls and sturdy tool box
TK13TC	Service Tool Kit for Unigy™ I & II Battery System; Includes: 1/4" Dr. 30-150 In./Lbs., 7/16" ratcheting box wrench (2), 5/16" x 1/4" & 7/16" x 1/4" Dr. unbooted sockets, 6" x 1/4" Dr. extension, 3/8" x 1/4" & 7/16" x 1/4" Dr. socket, valve shroud removal tool, 1/4" Dr. 1-36 in./lbs. torque screwdriver, 17 mm x 1/4" Dr. allen socket, 17 mm sa allen wrench stub, 1/4" Dr. ratchet 4.5", 7/16" ratchet box torque wrench preset 125 in./lbs., 10 pocket nylon tool roll, 17 mm x 1/4" Dr. allen socket



S10TK12M



TK60M



TK30M



S10TK25M

METRIC HVAC TOOL KIT

CAT. NO.	DESCRIPTION
S10TK12M	HVAC tool kit; 23 pcs. includes: Slotted screwdrivers: 3/16 x 4", 3/16 x 6", 1/4 x 4", 1/4 x 6", 5/16 x 6", 3/8 x 8" Phillips screwdrivers: #1 x 3", #2 x 4" Nutdrivers: 3" long: 5mm, 6mm, 7mm, 8mm, 10mm, 12mm Type "I" hex wrenches, long arm: 5mm, 6mm, 7mm, 8mm, 10mm, 12mm 8" Long needle nose Pliers w/ side cutter 12" Rectangular inspection mirror In a plastic box, including tool rolls

METRIC OUTSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK25M	24 pcs. Includes: 1/4 x 6" Narrow tip screwdriver #2 X 8" Phillips screwdriver Nutdrivers: 9mm x 3", 10mm x 3", 11mm x 3", 12mm x 3" Torque wrench 30 - 150 in/lb 3nm-23nm Reversible ratchet 3/8" drive 3", 6" And 12" extensions, 3/8" drive 8 pcs. 10mm-21mm Deep 12 pt. Socket set Type "I" hex wrenches, long arm: 5mm, 6mm, 8mm, 10mm 10" Water pump Pliers In a high impact plastic tool box

METRIC DELUXE MAINTENANCE TOOL KIT

CAT. NO.	DESCRIPTION
TK30M	29 pcs. Includes: Slotted screwdrivers: 1/8 x 2", 3/16 x 6", 1/4 x 4" Phillips screwdriver: #1 x 3", #2 x 6" Torque Wrench 3/8" drive 10" Long 30-150 In/Lb 3/8" Drive reversible ratchet 3" and 6" Extensions, 3/8" drive, 4nm -23nm 8 pcs. 12 pt. Socket set, 3/8" drive: 10mm, 11mm, 12mm, 14mm, 16mm, 18mm, 19mm, 21mm 8 pcs. Box end wrench set: 10mm, 11mm, 12mm, 14mm, 16mm, 18mm, 19mm, 21mm 7" Diagonal cutting Pliers 8" Needle nose Pliers 9" Lineman Pliers Mini flashlight In a high impact plastic tool box

METRIC HOT BOX TOOL KIT

CAT. NO.	DESCRIPTION
TK60M	60 pcs. Includes: Slotted screwdrivers: 1/8 x 2", 3/16 x 4", 3/16 x 6", 1/4 x 6", 5/16 x 6" Phillips screwdrivers: #2 x 4", #2 x 8" 3" Long nutdrivers Torque wrench 30 - 150 in/lb; 4nm-23nm 3/8" Dr, reversible ratchet 3" and 6" Extensions, 3/8" dr 10 pcs. 8mm-22mm, 3/8" Dr socket set 11 pcs. 10mm-27mm Box end wrench set 14 pcs. 1.5mm-12mm Hex wrench set 7-1/2" Diagonal cutting Pliers 8" Needle nose Pliers 9" Lineman Pliers 9-1/2" Cable cutting Pliers 10" Water pump Pliers Combination stripper/crimper Pliers In a plastic box, including tool rolls

METRIC HOT BOX TOOL KIT WITHOUT TORQUE WRENCH

CAT. NO.	DESCRIPTION
TK60EM	59 pcs. Includes: Slotted screwdrivers: 1/8 x 2", 3/16 x 4", 3/16 x 6", 1/4 x 6", 5/16 x 6" Phillips screwdriver: #2 x 4", #2 x 8" 3" Long nutdrivers: 5mm, 6mm, 7mm, 8mm, 9mm, 11mm, 12mm Reversible ratchet, 3/8" dr 3" and 6" Extensions, 3/8" dr 10 pcs 8mm-22mm, 3/8" Dr socket set 11 pcs 10mm-27mm Box end wrench set 14 pcs. 1.5mm-12mm Hex wrench set 7-1/2" Diagonal cutting Pliers 8" Needle nose Pliers 9" Lineman Pliers 9-1/2" Cable cutting Pliers 10" Water pump Pliers Combination stripper / crimper Pliers In a plastic box, including tool rolls

METRIC INSULATED TOOL KITS



TK30ETKM



S10TK23M

THIS SET IS DESIGNED FOR
USE IN TIGHT WORK SPACES.



S10TK40M



S101M

METRIC TELECOMMUNICATION TOOL POWER CONNECTING KIT

CAT. NO.	DESCRIPTION
S10TK23M	23 pcs. Includes: Metric close quarters socket set 3/8" drive with ratchet 3" & 6" Extension Regular sockets 12pt: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm 6" Adjustable wrench Nut driver set 3": 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm In a high impact plastic tool box

METRIC INSIDE MAINTENANCE BOX

CAT. NO.	DESCRIPTION
S10TK40M	39 pcs. Includes: Narrow tip screwdrivers: 3/16 x 6", 1/4 x 6" Slotted tip screwdriver: 3/8 x 6" Phillips screwdrivers: #1 x 3", #2 x 6" Nutdrivers: 3" long: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm Torque wrench 30 - 150 in/lb 3nm-23nm 3/8" Drive reversible ratchet 3", 6" and 12" Extensions, 3/8" drive 8 pcs. 10mm-21mm Deep 12 pt. Sckt set 8 pcs. 10mm-21mm Box end wrench set Type "I" hex wrenches, long arm: 5mm, 6mm, 8mm, 10mm 10" Water pump Pliers In a high impact plastic tool box

METRIC ELECTRICIAN'S TOOL KIT

CAT. NO.	DESCRIPTION
TK30ETKM	30 pcs. Includes: 9" Lineman Pliers 8" hd slip joint Pliers with cutting shear Crimping tool 10" Tongue and groove Pliers (waterpump) Slotted screwdrivers: 3/16" x 4", 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8", 3/16" x 6"; Phillips screwdrivers: #1 x 3", #2 x 4" Nut drivers: 5mm x 3", 6mm x 3", 7mm x 3", 8mm x 3", 9mm x 3", 11mm x 3", 12mm x 3"; 8" Long needle nose Pliers with side cutter 7" Box joint cutting Pliers 9-1/2" Pliers cutting Pliers 12" Tong and groove (waterpump) 6" Flat nose Pliers Long arm, type "T" hex wrenches: 4mm x 6", 5mm x 6", 6mm x 6", 8mm x 6", 10mm x 6", 12mm x 6" In a high impact plastic tool box

METRIC TELECOMMUNICATION TOOL BOX

CAT. NO.	DESCRIPTION
S101M	16 pcs. Includes: 3/8" Dr ratchet 3/8" Drive torque ratchet 10" long 30-150 in/lb 3nm-23nm 3" Extension Regular sockets 12pt: 10mm, 11mm, 12mm, 14mm, 16mm 16 mm Deep socket 3/8" drive 9" Lineman Pliers 6" Needle nose Pliers 8" Slip joint Pliers Slotted screwdrivers: 3/16 x 4", 1/4 x 6", 5/16 x 6", 3/8 x 8" #2 X 6" Phillips screwdriver In a high impact plastic tool box

All Salisbury insulated screwdrivers are two color insulated for added safety. High alloy steel blade for maximum strength and ergonomic handle for comfort.

INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

Available in these blade widths:


1/8" - 3/8"



INSULATED TORX SCREWDRIVERS

Available in these size ranges:

T10- T50



INSULATED PHILLIPS & ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP

Phillips available in these sizes:

#0 X 2"
#1 X 3"
#2 X 1-1/2"
#2 X 4"
#2 X 6"
#3 X 6"
#4 X 8"

Robertson available in these sizes:

#1 X 4"
#2 X 4"
#2 X 8"
#3 X 4"



A wide variety of torx screwdrivers are available upon request.

INSULATED SLOTTED SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO. DESCRIPTION

S2376802	1/8" X 2"
S2376806	1/8" X 6"
S2375904	3/16" X 4"
S2375906	3/16" X 6"
S2375908	3/16" X 8"
S2375910	3/16" X 10"
S2375704	1/4" X 4"
S2375705	1/4" X 6"
S2375706	5/16" X 6"
S2375708	3/8" X 8"
S2375710	3/8" X 10"
S2375712	3/8" X 12"

INSULATED TORX SCREWDRIVERS

CAT. NO. DESCRIPTION

S2341410	T10 X 3" Blade
S2341415	T15 X 3" Blade
S2341420	T20 X 3" Blade
S2341425	T25 X 3" Blade
S2341427	T27 X 4" Blade
S2341430	T30 X 4" Blade
S2341440	T40 X 6" Blade
S2341445	T45 X 6" Blade
S2341450	T50 X 6" Blade

INSULATED PHILLIPS SCREWDRIVERS

WITH CUSHION GRIP

CAT. NO. DESCRIPTION

S2376302	#0 X 2" Phillips
S2376103	#1 X 3" Phillips
S2376103A	#1 X 6" Phillips
S2376102	#2 X 1-1/2" Phillips
S2376104	#2 X 4" Phillips
S2376105	#2 X 6" Phillips
S2376105A	#2 X 8" Phillips
S2376106	#3 X 6" Phillips
S2376108	#4 X 8" Phillips

INSULATED ROBERTSON SCREWDRIVERS

WITH CUSHION GRIP


S2377610	#1 X 4" Robertson
S2377611	#1 X 8" Robertson
S2377620	#2 X 4" Robertson
S2377621	#2 X 8" Robertson
S2377630	#3 X 4" Robertson
S2377631	#3 X 8" Robertson

MAGNETIC BIT TIP SCREWDRIVER

CAT. NO. DESCRIPTION

S2742614	3/16", 1/4", #1, #2 Bits
----------	--------------------------

SCREWDRIVER & NUTDRIVER KIT SETS AND TOOLS



INSULATED NUTDRIVERS

WITH CUSHION GRIP

3" Lengths available in these sizes

3/16"	5mm
1/4"	6mm
5/16"	7mm
11/32"	8mm
3/8"	9mm
7/16"	10mm
1/2"	11mm
9/16"	12mm
5/8"	16mm

6" Lengths available in these sizes:

3/16"	5mm
1/4"	6mm
5/16"	7mm
11/32"	8mm
3/8"	9mm
7/16"	10mm
1/2"	11mm
9/16"	12mm
5/8"	16mm

S23870



3" LENGTH INSULATED NUTDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2542010	3/16" X 3"
S2542030	1/4" X 3"
S2542050	5/16" X 3"
S2542060	11/32" X 3"
S2542070	3/8" X 3"
S2542080	7/16" X 3"
S2542090	1/2" X 3"
S2542100	9/16" X 3"
S2542110	5/8" X 3"
S2542710	5mm X 3"
S2542730	6mm X 3"
S2542750	7mm X 3"
S2542760	8mm X 3"
S2542770	9mm X 3"
S2542780	10mm X 3"
S2542790	11mm X 3"
S2542800	12mm X 3"

6" LENGTH INSULATED NUTDRIVERS

WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S2542010L	3/16" X 6"
S2542030L	1/4" X 6"
S2542050L	5/16" X 6"
S2542060L	11/32" X 6"
S2542070L	3/8" X 6"
S2542080L	7/16" X 6"
S2542090L	1/2" X 6"
S2542100L	9/16" X 6"
S2542110L	5/8" X 6"
S2542710L	5mm X 6"
S2542730L	6mm X 6"
S2542750L	7mm X 6"
S2542760L	8mm X 6"
S2542770L	9mm X 6"
S2542780L	10mm X 6"
S2542790L	11mm X 6"
S2542800L	12mm X 6"



S25921

NUTDRIVER 3" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S25921	7 Tools + tool roll bag: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
S25922	9 Tools + tool roll bag: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"
S25925	Metric set, 8 tools + tool roll bag: 5mm; 6mm; 7mm; 8mm; 9mm; 10mm; 11mm; 12mm

NUTDRIVER 6" LENGTH SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S25922L	9 Tools + tool roll bag: 3/16"; 1/4"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"
S25925L	Metric set, 8 tools + tool roll bag: 5mm; 6mm; 7mm; 8mm; 9mm; 10mm; 11mm; 12mm

SCREWDRIVER SETS WITH CUSHION GRIP

CAT. NO.	DESCRIPTION
S23871	6 Tools + tool roll bag: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 1/4" X 4"; 5/16" X 6"
S23869	8 Tools + tool roll bag: #1 X 3"; #2 X 4"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"
S23870	10 Tools + tool roll bag: #1 X 3"; #2 X 4"; #3 X 6"; 1/8" X 2"; 3/16" X 6"; 3/16" X 10"; 1/4" X 4"; 5/16" X 6"; 3/8" X 8"; 3/8" X 12"

OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241713	13 pcs. 1/4" - 1" In a tool roll bag
S241714	14 pcs. 3/8" - 1-1/4" In a tool roll bag
S241814	13 pcs. 7mm - 19mm, In a tool roll bag
S241818	17 pcs. 7mm - 24mm, In a tool roll bag

OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241780	8 pcs. 1" - 1-1/2" In a bag
S241790	6 pcs. 1-5/8" - 2" In a bag

BOX END WRENCH SETS

CAT. NO.	DESCRIPTION
S241713-B	13 pcs. 1/4" - 1" In a roll bag
S241714-B	14 pcs. 3/8" - 1-1/4" In a tool roll bag
S241814-B	13 pcs. 7mm - 19mm, In a tool roll bag
S241818-B	17 pcs. 7mm - 24mm, In a tool roll bag

BOX END WRENCH SETS

CAT. NO.	DESCRIPTION
S241780-B	8 pcs. 1" - 1-1/2" In a bag
S241790-B	6 pcs. 1-5/8" - 2" In a bag



OPEN END WRENCHES

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/4" - 2"

Metric sizes from 6mm - 36mm

OPEN END WRENCH METRIC SIZES		OPEN END WRENCH SAE SIZES	
CAT. NO.	DESCRIPTION	CAT. NO.	DESCRIPTION
S248306	6mm	S2488408	1/4"
S248307	7mm	S2488410	5/16"
S248308	8mm	S2488412	3/8"
S248309	9mm	S2488414	7/16"
S248310	10mm	S2488416	1/2"
S248311	11mm	S2488418	9/16"
S248312	12mm	S2488420	5/8"
S248313	13mm	S2488422	11/16"
S248314	14mm	S2488424	3/4"
S248315	15mm	S24C26	13/16"
S248316	16mm	S24C28	7/8"
S248317	17mm	S24C30	15/16"
S248318	18mm	S24C32	1"
S248319	19mm	S24C34	1-1/16"
S248320	20mm	S24C36	1-1/8"
S248321	21mm	S24C40	1-1/4"
S248322	22mm	S24C42	1-5/16"
S248323	23mm	S24C44	1-3/8"
S248324	24mm	S24C46	1-7/16"
S248325	25mm	S24C48	1-1/2"
S248326	26mm	S24C52	1-5/8"
S248327	27mm	S24C54	1-11/16"
S248328	28mm	S24C56	1-3/4"
S248329	29mm	S24C58	1-13/16"
S248330	30mm	S24C60	1-7/8"
S248332	32mm	S24C64	2"
S248336	36mm		



WRENCHES

AVAILABLE IN BOTH SAE & METRIC SIZES

RATCHETING BOX END WRENCH

12 POINT SAE SIZES


CAT. NO.	DESCRIPTION
S249008	1/4"
S249010	5/16"
S249011	11/32"
S249012	3/8"
S249014	7/16"
S249016	1/2"
S249018	9/16"
S249020	5/8"
S249022	11/16"
S249024	3/4"
S249026	13/16"
S249028	7/8"
S249030	15/16"
S249032	1"
S249034	1-1/16"
S249036	1-1/8"
S249038	1-1/4"
S24RB-42	1-5/16"
S24RB-44	1-3/8"
S24RB-46	1-7/16"
S24RB-48	1-1/2"
S24RB-50	1-9/16"
S24RB-52	1-5/8"
S24RB-54	1-11/16"
S24RB-56	1-3/4"
S24RB-58	1-13/16"
S24RB-60	1-7/8"
S24RB-64	2"
S24RB-68	2-1/8"

RATCHETING BOX END WRENCH

12 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249115	15mm 12 Point
S249116	16mm 12 Point
S249117	17mm 12 Point
S249118	18mm 12 Point
S249119	19mm 12 Point
S249120	20mm 12 Point
S249121	21mm 12 Point
S249122	22mm 12 Point
S249123	23mm 12 Point
S249124	24mm 12 Point
S249125	25mm 12 Point
S249126	26mm 12 Point
S249127	27mm 12 Point
S249129	29mm 12 Point
S249130	30mm 12 Point
S249132	32mm 12 Point
S249134	34mm 12 Point
S249136	36mm 12 Point

RATCHETING BOX END WRENCHES



RATCHETING BOX END WRENCH

6 POINT METRIC SIZES

CAT. NO.	DESCRIPTION
S249106	6mm 6 Point
S249107	7mm 6 Point
S249108	8mm 6 Point
S249109	9mm 6 Point
S249110	10mm 6 Point
S249111	11mm 6 Point
S249112	12mm 6 Point
S249113	13mm 6 Point
S249114	14mm 6 Point

BOX END WRENCH

SAE SIZES - 12 POINT

CAT. NO.	DESCRIPTION
S2488408-B	1/4"
S2488410-B	5/16"
S2488412-B	3/8"
S2488414-B	7/16"
S2488416-B	1/2"
S2488418-B	9/16"
S2488420-B	5/8"
S2488422-B	11/16"
S2488424-B	3/4"
S24C26-B	13/16"
S24C28-B	7/8"
S24C30-B	15/16"
S24C32-B	1"
S24C34-B	1-1/16"
S24C36-B	1-1/8"
S24C40-B	1-1/4"
S24C42-B	1-5/16"
S24C44-B	1-3/8"
S24C46-B	1-7/16"
S24C48-B	1-1/2"
S24C52-B	1-5/8"
S24C54-B	1-11/16"
S24C56-B	1-3/4"
S24C58-B	1-13/16"
S24C60-B	1-7/8"
S24C64-B	2"

BOX END WRENCHES



BOX END WRENCH

METRIC SIZES - 12 POINT


CAT. NO.	DESCRIPTION
S248306-B	6mm
S248307-B	7mm
S248308-B	8mm
S248309-B	9mm
S248310-B	10mm
S248311-B	11mm
S248312-B	12mm
S248313-B	13mm
S248314-B	14mm
S248315-B	15mm
S248316-B	16mm
S248317-B	17mm
S248318-B	18mm
S248319-B	19mm
S248320-B	20mm
S248321-B	21mm
S248322-B	22mm
S248323-B	23mm
S248324-B	24mm
S248325-B	25mm
S248326-B	26mm
S248327-B	27mm
S248328-B	28mm
S248329-B	29mm
S248330-B	30mm
S248332-B	32mm
S248336-B	36mm

RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-13	13 pcs. 1/4" - 1", 12 Point In a tool roll bag
S24RBM-15	15 pcs. 7mm - 21mm, In a tool roll bag

RATCHETING BOX END WRENCH SET

CAT. NO.	DESCRIPTION
S24RB-12	15 pcs. 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8" 12 point In a tool bag
S24RBM-10	10 pcs. 22, 23, 24, 25, 26, 27, 29, 30, 32, 36mm In a tool bag



HEX WRENCH "T" HANDLE SET

CAT. NO.	DESCRIPTION
S262344	11 pcs. 5/64 - 3/8" 6" Long In plastic tool roll bag
S2613P	13 pcs. 5/64 - 1/2" 6" Long In a tool roll bag
S2610M	10 pcs. 2mm-12mm 6" Long In a tool roll bag



HEX WRENCH TYPE "L" SET


CAT. NO.	DESCRIPTION
S2610214	14 pcs. 1/16" - 1/2" Long arm In a tool roll bag
S2610217	16 pcs. 1/16" - 5/8" Long arm In a tool roll bag
S2610610	10 pcs. 1.5mm - 12.0mm Long arm In a tool roll bag
S2610614	12 pcs. 1.5mm - 17.0mm Long arm In a tool roll bag

6" LONG "T" HANDLE HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 5/64" - 9/16"

Metric sizes from 2mm - 12mm



6" LONG "T" HANDLE HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S2631605	5/64"
S2631606	3/32"
S2631607	7/64"
S2631608	1/8"
S2631609	9/64"
S2631610	5/32"
S2631612	3/16"
S2631614	7/32"
S2631616	1/4"
S2631620	5/16"
S2631624	3/8"
S2651628	7/16"
S2651632	1/2"
S2651634	9/16"

6" LONG "T" HANDLE HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2634620	2mm
S2634625	2.5mm
S2634630	3mm
S2634640	4mm
S2634650	5mm
S2634660	6mm
S2634680	8mm
S2634690	10mm
S2654691	11mm
S2654692	12mm

WRENCHES

AVAILABLE IN BOTH SAE & METRIC SIZES




LONG ARM HEX WRENCH

AVAILABLE IN BOTH SAE & METRIC SIZES

SAE sizes from 1/16" - 2"

Metric sizes from 1.5mm - 36mm



LONG ARM HEX WRENCH

SAE SIZES

CAT. NO.	DESCRIPTION
S262223	1/16"
S262224	5/64"
S262225	3/32"
S262226	7/64"
S262227	1/8"
S262228	9/64"
S262229	5/32"
S262231	3/16"
S262233	7/32"
S262235	1/4"
S262239	5/16"
S262243	3/8"
S262247	7/16"
S262251	1/2"
S262255	9/16"
S262259	5/8"
S262267	3/4"
S262275	7/8"
S262283	1"
S262291	1-1/8"

SIZES UP TO 2" AVAILABLE UPON REQUEST.

LONG ARM HEX WRENCH

METRIC SIZES

CAT. NO.	DESCRIPTION
S2615603	1.5mm
S2615604	2mm
S2615605	2.5mm
S2615606	3mm
S2615607	3.5mm
S2615608	4mm
S2615609	4.5mm
S2615610	5mm
S2615611	5.5mm
S2615612	6mm
S2615614	7mm
S2615616	8mm
S2615618	9mm
S2615620	10mm
S2615622	11mm
S2615624	12mm
S2615628	14mm
S2615634	17mm
S2615638	19mm
S2615644	22mm
S2615648	24mm
S2615651	27mm
S2615656	32mm
S2615660	36mm



ADJUSTABLE WRENCH

AVAILABLE IN SIZES FROM 4" - 24"

CAT. NO.	DESCRIPTION
S24804	4"; 1/2" Jaw opening
S24806	6"; 15/16" Jaw opening
S24808	8"; 1-1/8" Jaw opening
S24810	10"; 1-5/16" Jaw opening
S24812	12"; 1-1/2" Jaw opening
S24815	15"; 1-11/16" Jaw opening
S24818	18"; 2-1/16" Jaw opening
S24824	24"; 2-7/16" Jaw opening



ADJUSTABLE BUG WRENCH

CAT. NO.	DESCRIPTION
S2470221	8" Bug wrench 1/4" - 3/4" capacity
S2470222	10" Bug wrench 3/8" - 1" capacity

TORQUE WRENCH

CAT. NO.	DESCRIPTION
S22TCI150RA	1/4" Dr, 9-1/2" long, 30-200 in/lb (4nm-23nm)
S22TCI150RA38	3/8" Dr, 10" long, 30-200 in/lb (4nm-23nm)
S22TCI250RA	3/8" Dr, 12-1/2" long, 50-250 in/lb (6nm-29nm)
S22TCI750R	3/8" Dr, 15" long, 100-1000 in/lb (14nm-116nm)
S22TCI75FRN	3/8" Dr, 14-1/4" long, 5-75 ft/lb (5nm-105nm)
S22TCI150FRN	1/2" Dr, 18-1/2" long, 10-150 ft/lb (20nm-210nm)
S22TCI250FRN	1/2" Dr, 21-1/2" long, 25-250 ft/lb (43nm-348nm)


TORQUE SCREWDRIVER

CAT. NO.	DESCRIPTION
S22TS35	1/4" Dr, 6-3/8" long, 1-36 in/lb
S22TS100	1/4" Dr, 6-3/8" long, 20-100 in/oz

A WIDE VARIETY OF TORQUE WRENCHES ARE AVAILABLE UPON REQUEST. RE-CALIBRATION SERVICE AVAILABLE, CONTACT CUSTOMER SERVICE FOR MORE INFORMATION.



PLIERS



WIRING PLIERS

CAT. NO.	DESCRIPTION
S21337W	7", Cuts and strips insulation

CUTTING PLIERS, LAP JOINT

CAT. NO.	DESCRIPTION
S21337	7" Lap joint
S21338	8" Lap joint

CURVED CUTTING PLIERS

CAT. NO.	DESCRIPTION
S21447	Diagonal curve 7-3/4" box joint

LONG NEEDLE NOSE PLIERS

CAT. NO.	DESCRIPTION
S2147S	4-3/4" With side cutter / spring
S2150S	5-3/4" With side cutter / spring
S21326	6" With side cutter
S21317	7" With side cutter
S21318	8" With side cutter

FENCE TOOL

CAT. NO.	DESCRIPTION
S2185	10-1/2" Overall length hammer on one jaw, staple starter and puller on the other side

PLIERS



S21437



S21308



S21386



S21358



S21738



S21728



S21718



S21748



S21148-10



S21422



S215410

CUTTING PLIERS, BOX JOINT

CAT. NO.	DESCRIPTION
S21435	5" Box joint
S21435S	5" Box joint w/ spring
S21436	6" Box joint
S21436S	6" Box joint w/ spring
S21437	7" Box joint

BENT NEEDLE NOSE PLIERS

CAT. NO.	DESCRIPTION
S2149	4-1/2"
S21386	5-1/2" Without side cutter

END CUTTING PLIERS

CAT. NO.	DESCRIPTION
S21356	6"
S21357	7"
S21358	8"

LONG REACH PLIERS

CAT. NO.	DESCRIPTION
S21728	7-1/2" Diagonal cutter
S21738	8"

FLAT NOSE PLIERS

CAT. NO.	DESCRIPTION
S2144	4-3/4"
S21D305-6	6"
S21718	Long reach 8"

LONG REACH END CUTTER

CAT. NO.	DESCRIPTION
S21748	8"

SHORT NOSE PLIERS

CAT. NO.	DESCRIPTION
S21308	8" Shearing

END CUTTING NIPPERS

CAT. NO.	DESCRIPTION
S21148-10	10"
S21148-14	14"

V GROOVE PLIERS

CAT. NO.	DESCRIPTION
S21422	9-1/2", 1-1/2" Capacity
S21442	12", 2-1/4" Capacity

HEAVY DUTY SLIP JOINT PLIERS

CAT. NO.	DESCRIPTION
S21546	6" With cutting shear
S21537	7" With fine side cutter
S21548	8" With cutting shear
S215410	Pliers hose clamp slip joint 10" with cutting shear



S21GL10

S2112098

S213248

S21516

S21420

S21958

WATERPUMP PLIERS

CAT. NO.	DESCRIPTION
S21GL6	6", 1-1/16" Capacity
S21gl10	9-1/2", 1-1/4" Capacity
S21gl12	12", 2-1/4" Capacity

PLIERS W/ SIDE CUTTERS

CAT. NO.	DESCRIPTION
S2112098	8-1/2" With sleeve-connector crimping die

ROUNDED NOSE PLIERS

CAT. NO.	DESCRIPTION
S21346	6"
S21347	7"
S21348	8-1/2"
S21369	9" High leverage
S213248	8-1/2" With cutter & crimper

SLIP JOINT PLIERS

CAT. NO.	DESCRIPTION
S21516	6", Thin nose with cutting shear

LINEMAN PLIERS

CAT. NO.	DESCRIPTION
S21350-S	9" With coiled spring

TONGUE & GROOVE PLIERS

CAT. NO.	DESCRIPTION
S21415	10", 2" Capacity smooth jaws
S21424	4-1/2", 1/2" Capacity
S21426	6-1/2", 7/8" Capacity
S21420	9-1/2", 1-1/2" Capacity
S21430	10", 2" Capacity
S21440	12", 2-1/4" Capacity
S21460	16", 4-1/4" Capacity
S21480	20", 5-1/2" Capacity



S21908

S21350-S

S21909

S21911

WIRE STRIPPER-CUTTER-CRIMPER

CAT. NO.	DESCRIPTION
S2111045	For cutting stripping and looping wire 10 - 18 ga
S21908	Wiring tool strips wire with no damage to conductor crimps both insulated and non-insulated wire

WIRE STRIPPER

CAT. NO.	DESCRIPTION
S2111062	Automatic wire stripper for 10-22ga; 1" depth. Blades are available for 8-12 awg; 16-26 awg and metric 4.0-0.5mm; and 1.0-.015mm
S21958	Wire stripper cutter 10-20ga for copper, strips insulation fast with no damage to wire, cuts copper wire cleanly

CRIMPING TOOL

CAT. NO.	DESCRIPTION
S21909	Crimping and cutting tool
S211005	Crimping tool and wire cutter for 10 to 22 awg

CUTTING PLIERS

CAT. NO.	DESCRIPTION
S21911	Cable cutter 9-1/2", cuts up to 4/0 aluminum and 'u' up to 2/0 soft copper. It is not designed for steel or ACSR

LONG REACH PLIERS & THIN PROFILE ELECTRONICS PLIERS



S21310



S21371



S21372



S2161190



S21510



S214044



S214046

LONG REACH DIAGONAL CUTTERS

CAT. NO.	DESCRIPTION
S21310	11" Long reach diagonal cutter with end cutter
S21311	11" Long reach offset diagonal cutters

LONG REACH SLIP JOINT PLIERS

CAT. NO.	DESCRIPTION
S21371	11" Long reach hd slip joint Pliers straight
S2137145	11" Long reach hd slip joint Pliers 45 degree

LONG REACH SLIP JOINT CABLE GRIPPERS

CAT. NO.	DESCRIPTION
S21372	11" Long hd slip joint cable grippers 3/8"
S21373	11" Long hd slip joint cable grippers 3/4"

LONG REACH NEEDLE NOSE

CAT. NO.	DESCRIPTION
S21611	11" Long reach needle nose straight
S2161145	11" Long reach needle nose 45 degree bent nose
S2161190	11" Long reach needle nose 90 degree bent nose

LONG REACH CABLE GRIPPING PLIERS

CAT. NO.	DESCRIPTION
S21510	11" Long 5/16 od cable gripping Pliers
S21512	11" Long 1/2 od cable gripping Pliers
S21514	11" Long 3/4 od cable gripping Pliers

LONG REACH CHAIN NOSE

CAT. NO.	DESCRIPTION
S214044	6" Long Reach Chain Nose w/ cutter smooth jaws thin profile

LONG REACH OVAL HEAD

CAT. NO.	DESCRIPTION
S214046	5.5" Long reach oval head semi flush diagonal thin profile



S214050



S214052



S214048

LONG REACH FLAT NOSE

CAT. NO.	DESCRIPTION
S214050	6" Long reach flat nose non-serrated thin profile

LONG REACH THIN HEAD


CAT. NO.	DESCRIPTION
S214052	5.5" Long reach thin head semi flush diagonal thin profile

LONG REACH NEEDLE NOSE

CAT. NO.	DESCRIPTION
S214048	7" Long reach thin needle nose non-serrated thin profile
S214054	7" Long reach bent needle nose non-serrated thin profile

SNAP RING PLIERS

CAT. NO.	DESCRIPTION
S211202R	.038" Tip diameter
S21120245R	45 Deg .038" Tip diameter
S21120290R	90 Deg .038" Tip diameter
S213202R	.047" Tip diameter
S21320245R	45 Deg .047" Tip diameter
S21320290R	90 Deg .047" Tip diameter
S213402R	.070" Tip diameter
S21340245R	45 Deg .070" Tip diameter
S21340290R	90 Deg .070" Tip diameter
S215602R	.090" Tip diameter
S21560245R	45 Deg .090" Tip diameter
S21560290R	90 Deg .090" Tip diameter

TIP CONFIGURATIONS


0° 45° 90°

Use with either external or internal retaining rings.



S211202R

RATCHETING CABLE CUTTER

CAT. NO.	DESCRIPTION
S2163060	600mcm Alum 400mcm Copper
S215090FS	750mcm Alum 500mcm Copper

BOLT CUTTER

CAT. NO.	DESCRIPTION
S210090	18" Cuts 3/8" soft/medium material, 1/4" hard material
S210190	24" Cuts 7/16" soft/medium material, 5/16" hard material
S210290	30" Cuts 1/2" soft/medium material, 3/8" hard material
S210390	36" Cuts 9/16" soft/medium material, 7/16" hard material
S210590	42" Cuts 11/16" soft/medium material, 1/2" hard material

CABLE CUTTING PLIERS

CAT. NO.	DESCRIPTION
S2163035	17" For up to 1" coax cable cuts soft copper and aluminum cable up to 350 mcm, drop-forged steel, shear-type hook jaws grab and hold cable
S2163041	25" 1-3/8" Cutting capacity cuts 500 copper, 750 aluminum soft cable. Not designed for cutting steel or ACSR
S2163035-RING	For up to 1" coax cable cuts soft copper and aluminum cable up to 350 mcm; drop-forged steel; shear-type hook jaws grab and hold cable; with guidance ring
S2163030	9-1/2"
S2163055-RING	8" Cuts 24 awg cooper, aluminum multi-strand cable and wire; with guidance ring

CABLE SHEAR

CAT. NO.	DESCRIPTION
S2163041-RING	25", 1-3/8" Cutting capacity , cuts 500 copper, 750 aluminum, soft cable: 1-3/8" diameter; with guidance ring. Not designed for cutting steel or ACSR

HACKSAW

CAT. NO.	DESCRIPTION
S30602VSE	12" Hacksaw frame



S210190

S2163035

S2163060



S2163041-RING

S2163055-RING

S2163035-RING

S30602VSE



SOCKETS - 1/4" DRIVE



STANDARD OR DEEP SOCKET

1/4" DRIVE, 12 POINT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2043906	3/16"
S2043907	7/32"
S2043908	1/4"
S2043909	9/32"
S2043910	5/16"
S2043911	11/32"
S2043912	3/8"
S2043914	7/16"
S2043916	1/2"
S2043918	9/16"

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2044906	3/16"
S2044907	7/32"
S2044908	1/4"
S2044909	9/32"
S2044910	5/16"
S2044911	11/32"
S2044912	3/8"
S2044914	7/16"
S2044916	1/2"
S2044918	9/16"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2040701	4mm 6 point
S2043702	5mm
S2043703	5.5mm
S2043704	6mm
S2043706	7mm
S2043707	8mm
S2043708	9mm
S2043709	10mm
S2043710	11mm
S2043711	12mm
S2043712	13mm
S2043713	14mm
S2040714	15mm 6 point

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041697	4mm 6 point
S2044702	5mm
S2044703	5.5mm
S2044704	6mm
S2044706	7mm
S2044707	8mm
S2044708	9mm
S2044709	10mm
S2044710	11mm
S2044711	12mm
S2044712	13mm
S2044713	14mm
S2041711	15mm 6 point

STANDARD OR DEEP SOCKET

3/8" DRIVE, 12 POINT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2045208	1/4"
S2045210	5/16"
S2045212	3/8"
S2045214	7/16"
S2045216	1/2"
S2045218	9/16"
S2045120	5/8"
S2045122	11/16"
S2045124	3/4"
S2045126	13/16"
S2045128	7/8"
S2045130	15/16"
S2045132	1"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S20306	6mm 6 point
S202307	7mm
S202308	8mm
S202309	9mm
S202310	10mm
S202311	11mm
S202312	12mm
S202313	13mm
S202314	14mm
S202315	15mm
S202316	16mm
S202317	17mm
S202318	18mm
S202319	19mm
S202320	20mm
S202321	21mm
S202322	22mm
S202323	23mm
S202324	24mm

DEEP SOCKET


SAE SIZES

CAT. NO.	DESCRIPTION
S2042408	1/4"
S2042410	5/16"
S2042412	3/8"
S2042414	7/16"
S2042416	1/2"
S2042418	9/16"
S2042420	5/8"
S2042422	11/16"
S2042424	3/4"
S2042426	13/16"
S2042428	7/8"
S2042430	15/16"
S2042432	1"

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S208406	6mm 6 point
S208407	7mm 6 point
S208408	8mm 6 point
S208429	9mm
S208430	10mm
S208431	11mm
S208432	12mm
S208433	13mm
S208434	14mm
S208435	15mm
S208436	16mm
S208437	17mm
S208438	18mm
S208439	19mm
S208420	20mm 6 point
S208421	21mm 6 point
S208422	22mm 6 point
S208423	23mm 6 point
S208424	24mm 6 point
S208425	25mm 6 point
S208426	26mm 6 point




SOCKETS - 1/2" DRIVE

STANDARD OR DEEP SOCKET

1/2" DRIVE, 12 POINT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.



STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2040212	3/8"
S2040214	7/16"
S2040216	1/2"
S2040218	9/16"
S2040120	5/8"
S2040122	11/16"
S2040124	3/4"
S2040126	13/16"
S2040128	7/8"
S2040130	15/16"
S2040132	1"
S2040134	1-1/16"
S2040136	1-1/8"
S2040138	1-3/16"
S2040140	1-1/4"
S2040142	1-5/16"
S2040144	1-3/8"
S2040146	1-7/16"
S2040148	1-1/2"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2040309	9mm
S2040310	10mm
S2040311	11mm
S2040312	12mm
S2040313	13mm
S2040314	14mm
S2040315	15mm
S2040316	16mm
S2040317	17mm
S2040318	18mm
S2040319	19mm
S2040320	20mm
S2040321	21mm
S2040322	22mm
S2040323	23mm
S2040324	24mm
S2040325	25mm
S2040326	26mm
S2040327	27mm
S2040328	28mm
S2040329	29mm
S2040330	30mm
S2040331	31mm
S2040332	32mm
S2040336	36mm

DEEP SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2040812	3/8"
S2040814	7/16"
S2040816	1/2"
S2040818	9/16"
S2040820	5/8"
S2040822	11/16"
S2040824	3/4"
S2040826	13/16"
S2040828	7/8"
S2040830	15/16"
S2040832	1"
S2040834	1-1/16"
S2040836	1-1/8"
S2040838	1-3/16"
S2040840	1-1/4"
S2040842	1-5/16"
S2040844	1-3/8"
S2040846	1-7/16"
S2040848	1-1/2"

DEEP SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2048010	10mm
S2048011	11mm
S2048012	12mm
S2048013	13mm
S2048014	14mm
S2048015	15mm
S2048016	16mm
S2048017	17mm
S2048018	18mm
S2048019	19mm
S2048020	20mm
S2048021	21mm
S2048022	22mm
S2048023	23mm
S2048024	24mm
S2048025	25mm
S2048026	26mm
S2048027	27mm
S2048028	28mm
S2048030	30mm
S2048032	32mm

STANDARD SOCKET

3/4" DRIVE, 12 POINT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

STANDARD SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2047124	3/4"
S2047126	13/16"
S2047128	7/8"
S2047130	15/16"
S2047132	1"
S2047134	1-1/16"
S2047136	1-1/8"
S2047138	1-3/16"
S2047140	1-1/4"
S2047142	1-5/16"
S2047144	1-3/8"
S2047146	1-7/16"
S2047148	1-1/2"
S2047150	1-9/16"
S2047152	1-5/8"
S2047154	1-11/16"
S2047156	1-3/4"
S2047158	1-13/16"
S2047160	1-7/8"
S2047164	2"
S2047166	2-1/16"
S2047168	2-1/8"
S2047171	2-3/16"
S2047172	2-1/4"
S2047176	2-3/8"

STANDARD SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2048122	22mm
S2048123	23mm
S2048124	24mm
S2048126	26mm
S2048127	27mm
S2048128	28mm
S2048129	29mm
S2048130	30mm
S2048132	32mm
S2048133	33mm
S2048135	35mm
S2048136	36mm
S2048138	38mm
S2048140	40mm
S2048141	41mm
S2048142	42mm
S2048146	46mm
S2048150	50mm
S2048154	54mm
S2048155	55mm



RATCHET & SOCKET ACCESSORIES



FLEX HEAD HANDLES

CAT. NO.	DESCRIPTION
S2040952	1/4" Drive flex head handle 5.4"
S2045152	3/8" Drive flex head handle 10"
S2041650	1/2" Drive flex head handle 9"
S2041652	1/2" Drive flex head handle 16"
S2041654	1/2" Drive flex head handle 24"
S2047155	3/4" Drive flex head handle 18"

RATCHETS

CAT. NO.	DESCRIPTION
S2040970NB	1/4" Drive ratchet 4.5" no boot
S2040970	1/4" Drive ratchet 4.5"
S2040971	1/4" Drive ratchet 6.5"
S2045170NB	3/8" Drive ratchet 7.6" no boot
S2045170	3/8" Drive ratchet 7.6"
S2045179	3/8" Drive ratchet 10.3"
S2045174	3/8" Drive ratchet stubby 4.8"
S2042470NB	1/2" Drive ratchet 10.3" no boot
S2042470	1/2" Drive ratchet 10.3"
S2040170	1/2" Drive ratchet 15"
S2047170	3/4" Drive ratchet 18"

"T" SOCKET DRIVER

CAT. NO.	DESCRIPTION
S2045850	6" "T"-socket driver, 3/8" drive
S2045851	12" "T"-socket driver, 3/8" drive
S2041950	6" "T"-socket driver, 1/2" drive
S2041951	12" "T"-socket driver, 1/2" drive

ADAPTERS

CAT. NO.	DESCRIPTION
S20384	Adapter 3/8" F - 1/4"M
S20385	Adapter 1/4" F - 3/8"M
S20451	Adapter 3/8" F - 1/2"M
S20401	Adapter 1/2" F - 3/8"M
S20407	Adapter 1/2" F - 3/4"M
S20409	Adapter 3/4" F - 1/2"M



EXTENSIONS

AVAILABLE IN 1/4", 3/8", 1/2" AND 3/4" DRIVES


EXTENSIONS ARE AVAILABLE IN FLARE NOSE STYLE FOR USE ON NON-BOOTED SOCKETS.

FIBERGLASS EXTENSIONS

AVAILABLE IN 3/8" AND 1/2" DRIVES

CAT. NO.	DESCRIPTION
S2045161FB	extension 6" 3/8" drive
S2045162FB	extension 12" 3/8" drive
S2040164FB	extension 6" 1/2" drive
S2040165FB	extension 12" 1/2" drive

FIBERGLASS EXTENSIONS ARE TESTED AT 80 FT./LBS., DO NOT EXCEED 60 FT./LBS.



EXTENSIONS

CAT. NO.	DESCRIPTION
S2040961	1/4" drive extension 2"
S2040963	1/4" drive extension 3"
S2040962	1/4" drive extension 6"
S2040968	1/4" drive extension 8"
S2040969	1/4" drive extension 10"
S2040964	1/4" drive extension 14"

S2045159	3/8" drive extension 1.5"
S2045160	3/8" drive extension 3"
S2045161	3/8" drive extension 6"
S2045158	3/8" drive extension 9"
S2045162	3/8" drive extension 12"
S2045163	3/8" drive extension 18"
S2045164	3/8" drive extension 24"
S2045149	3/8" drive extension 35"

S2040160	1/2" drive extension 2"
S2040161	1/2" drive extension 5"
S2040162	1/2" drive extension 10"
S2040163	1/2" drive extension 20"

S2047159	3/4" drive extension 3"
S2047163	3/4" drive extension 5"
S2047161	3/4" drive extension 8"
S2047162	3/4" drive extension 16"

EXTENSIONS WITH FLARE END

CAT. NO.	DESCRIPTION
S2040961FN	1/4" drive extension 2"
S2040963FN	1/4" drive extension 3"
S2040962FN	1/4" drive extension 6"
S2040968FN	1/4" drive extension 8"
S2040969FN	1/4" drive extension 10"
S2040964FN	1/4" drive extension 14"

S2045159FN	3/8" drive extension 1.5"
S2045160FN	3/8" drive extension 3"
S2045161FN	3/8" drive extension 6"
S2045158FN	3/8" drive extension 9"
S2045162FN	3/8" drive extension 12"
S2045163FN	3/8" drive extension 18"
S2045164FN	3/8" drive extension 24"
S2045149FN	3/8" drive extension 35"

S2040160FN	1/2" drive extension 2"
S2040161FN	1/2" drive extension 5"
S2040162FN	1/2" drive extension 10"
S2040163FN	1/2" drive extension 20"

S2047159FN	3/4" drive extension 3"
S2047163FN	3/4" drive extension 5"
S2047161FN	3/4" drive extension 8"
S2047162FN	3/4" drive extension 16"





Phillips Screwdriver Bit Socket



Slotted Screwdriver Bit Socket



1/4" DRIVE SCREWDRIVER BIT SOCKETS

SLOTTED AND PHILLIPS

Available in these size ranges:

Slotted - 3/16" - 5/16"

Phillips - #0 - #3

CAT. NO.	DESCRIPTION
S2044470	Slotted 1F - 2R
S2044471	Slotted 2F - 3R
S2044472	Slotted 4F - 5R
S2044473	Slotted 6F - 8R
S2044480	Phillips #0
S2044481	Phillips #1
S2044482	Phillips #2
S2044483	Phillips #3
S2044570	6" long slotted 1F-2R
S2044571	6" long slotted 2F-3R
S2044572	6" long slotted 4F-5R
S2044573	6" long slotted 6F-8R
S2044581	6" long phillips #1
S2044582	6" long phillips #2
S2044883	6" long phillips #3

3/8" DRIVE SCREWDRIVER BIT SOCKETS

SLOTTED AND PHILLIPS

Available in these size ranges:

Slotted - 3F-4R - 12F-16R

Phillips - #1 - #4

CAT. NO.	DESCRIPTION
S2045471	Slotted 3F - 4R
S2045472	Slotted 4F - 5R
S2045473	Slotted 5F - 6R
S2045474	Slotted 8F - 12R
S2045475	Slotted 12F - 16R
S2045481	Phillips #1
S2045482	Phillips #2
S2045483	Phillips #3
S2045484	Phillips #4
S2045671	6" long slotted 3F - 4R
S2045672	6" long slotted 4F - 5R
S2045673	6" long slotted 5F - 6R
S2045674	6" long slotted 8F - 12R
S2045675	6" long slotted 12F - 16R
S2045681	6" Long phillips #1
S2045682	6" Long phillips #2
S2045683	6" Long phillips #3
S2045684	6" Long phillips #4

1/4" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:


T8 - T27 4" long

1/4" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2042908	T8
S2042910	T10
S2042915	T15
S2042920	T20
S2042925	T25
S2042927	T27
S2042930	T30
S2042958	T8 4" long
S2042960	T10 4" long
S2042965	T15 4" long
S2042970	T20 4" long
S2042975	T25 4" long
S2042977	T27 4" long

1/4" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2042507	T7
S2042508	T8
S2042510	T10
S2042515	T15
S2042520	T20
S2042525	T25
S2042527	T27
S2042530	T30



Torx Screwdriver Bit Socket

3/8" DRIVE TORX BIT & TAMPER-PROOF TORX SOCKET

Available in these size ranges:

T40 - T50 extra long

3/8" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045540	T40
S2045545	T45
S2045547	T47
S2045550	T50
S2045555	T55
S2042580	T30 4" long
S2042590	T40 4" long
S2042595	T45 4" long
S2042600	T50 4" long
S2042640	T40 6" long
S2042645	T45 6" long
S2042650	T50 6" long
S2042655	t55 6" long

3/8" TAMPER-PROOF TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045440	T40
S2045445	T45
S2045450	T50
S2045455	T55
S2044205	5/64
S2044206	3/32
S2044207	7/64
S2044208	1/8
S2044209	9/64
S2044210	5/32
S2044212	3/16
S2044214	7/32
S2044216	1/4



Tamper-Proof Torx Screwdriver Bit Socket



1/2" DRIVE TORX BIT SOCKET

Available in this size:

T60 - T70

1/2" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045560	T60
S2045565	T70

TAMPER-PROOF TORX BIT SOCKET

Available in this size:

T60 - T70

1/2" TORX BIT SOCKET

CAT. NO.	DESCRIPTION
S2045570	T60
S2045580	T70

RATCHET & SOCKET ACCESSORIES

1/4" DRIVE HEX BIT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

Available in these size ranges:

1/16" - 1/4"

2mm - 6mm

1/4" HEX BIT SOCKET


SAE SIZES

CAT. NO.	DESCRIPTION
S2044304	1/16"
S2044305	5/64"
S2044306	3/32"
S2044307	7/64"
S2044308	1/8"
S2044309	9/64"
S2044310	5/32"
S2044312	3/16"
S2044314	7/32"
S2044316	1/4"

1/4" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2044324	2mm
S2044325	2.5mm
S2044326	3mm
S2044327	4mm
S2044328	5mm
S2044330	6mm



Hex Screwdriver
Bit Socket

1/2" DRIVE HEX BIT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

Available in these size ranges:

5/16" - 3/4"

12mm - 19mm

1/2" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041213	5/16"
S2041214	3/8"
S2041215	7/16"
S2041216	1/2"
S2041218	9/16"
S2041220	5/8"
S2041221	11/16"
S2041222	3/4"
S2041613	5/16" 6" long
S2041614	3/8" 6" long
S2041615	7/16" 6" long
S2041266	1/2" 6" long
S2041268	9/16" 6" long
S2041270	5/8" 6" long
S2041621	11/16" 6" long
S2041622	3/4" 6" long

1/2" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041412	12mm
S2041413	13mm
S2041414	14mm
S2041416	16mm
S2041417	17mm
S2041419	19mm
S2041462	12mm 6" long
S2041463	13mm 6" long
S2041464	14mm 6" long
S2041466	16mm 6" long
S2041467	17mm 6" long
S2041469	19mm 6" long

3/8" DRIVE HEX BIT SOCKET

AVAILABLE IN BOTH SAE & METRIC SIZES.

Available in these size ranges:

1/16" - 1/2"

2mm - 12mm

3/8" HEX BIT SOCKET

SAE SIZES

CAT. NO.	DESCRIPTION
S2041201	1/16"
S2041202	5/64"
S2041203	3/32"
S2041204	7/64"
S2041205	1/8"
S2041206	9/64"
S2041207	5/32"
S2041208	3/16"
S2041209	7/32"
S2041210	1/4"
S2041310	9/32"
S2041211	5/16"
S2041212	3/8"
S2041225	7/16"
S2041226	1/2"
S2045904	1/8" 6" long
S2045905	5/32" 6" long
S2045906	3/16" 6" long
S2045907	7/32" 6" long
S2045908	1/4" 6" long
S2045909	9/32" 6" long
S2045910	5/16" 6" long
S2045912	3/8" 6" long
S2045913	7/16" 6" long
S2045914	1/2" 6" long

3/8" HEX BIT SOCKET

METRIC SIZES

CAT. NO.	DESCRIPTION
S2041400	2mm
S2041401	2.5mm
S2041402	3mm
S2041403	4mm
S2041404	5mm
S2041405	6mm
S2041406	7mm
S2041407	8mm
S2041408	9mm
S2041409	10mm
S2041410	11mm
S2041411	12mm
S2041502	3mm 6" long
S2041503	4mm 6" long
S2041504	5mm 6" long
S2041505	6mm 6" long
S2041506	7mm 6" long
S2041507	8mm 6" long
S2041508	9mm 6" long
S2041509	10mm 6" long
S2041510	11mm 6" long
S2041511	12mm 6" long



RATCHET & SOCKET SETS



S102

BATTERY TORQUE SET

CAT. NO.	DESCRIPTION
S102	4 pcs. Includes: 3/8" dr torque ratchet 10" long 30-150 in/lb, 7" fiberglass extension, 1/2" box wrench 1/2" regular socket 6pt In a plastic box



S104

SOCKET SET 3/8" DRIVER DEEP SET

CAT. NO.	DESCRIPTION
S103	11 pcs. Includes: 3/8" reversible ratchet, 3" and 6" extension Deep sockets 12pt: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 and 13/16" In a fitted plastic case
S103-ST	11 pcs. Regular socket, 3/8 Dr.
S104	16 pcs. Includes: ratchet, 3" and 6" extension Deep sockets 12pt: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 and 1" In a fitted plastic case
S105	Metric 14 pcs. includes: ratchet, 3" and 6" extension Deep sockets 12pt: 9mm to 19mm In a fitted plastic case
S106	Metric 24 pcs. includes: ratchet, 3" and 6" extension Deep sockets 6 and 12pt: 6mm to 26mm In a fitted plastic case
S601	13 pcs. Deep socket kit, 1/4 to 13/16; 3/8 Dr, In a custom box



S602

ALLEN SOCKET SET

CAT. NO.	DESCRIPTION
S602	14 Tools + roll, 3/8 dr 1/8" to 1/2" Includes: 3/8" reversible ratchet, 3" and 6" extension
S602M	Metric 13pcs 3mm-12mm hex bit 3/8" Dr.
S603	Allen socket kit includes: 15 tools + roll 3/8"Dr., 1/16"-3/8" 3/8" reversible ratchet, 3" and 6" extension In a tool roll



Tool Roll
Included

CLOSE QUARTERS SOCKET SET

THESE SETS ARE DESIGNED FOR USE IN TIGHT WORK SPACES

CAT. NO.	DESCRIPTION
S204946	1/4" Dr 13 pcs. includes: 1/4" ratchet, 3" & 6" flared extensions, regular sockets 12pt: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 and 9/16" Packaged in a plastic tool box.
S204653	3/8" Dr 16 pcs. includes: 3/8" ratchet, 3" & 6" flared extensions, regular sockets 12pt: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 and 1" Packaged in a plastic case tool box.
S204121	1/2" Dr 21 pcs. includes: 1/2" ratchet, 5" flared extension, regular sockets 12pt: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16 and 1-1/2" Packaged in a plastic case.
S204122	3/4" Dr 27 pcs. includes: 3/4" ratchet, 5" flared extension, regular sockets 12pt: 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/16, 2-1/8, 2-3/16, 2-1/4 and 2-3/8" Packaged in a plastic case tool box.
S201340	1/4" Dr 13 pcs. includes: 1/4" ratchet, 3" & 6" flared extensions, regular sockets 12pt: 5mm to 14mm Packaged in a plastic case tool box.
S2089023	3/8" Dr 16 pcs. includes: 3/8" ratchet, 3" & 6" flared extensions, regular sockets 12pt: 7mm to 19mm Packaged in a plastic case tool box.
S201919	1/2" Dr 21 pcs. includes: 1/2" ratchet, 5" flared extension, regular sockets 12pt: 10mm to 28mm Packaged in a plastic case tool box.
S2094712E	3/4" Dr 22 pcs. includes: 3/4" ratchet, 5" flared extension, regular sockets 12pt: 22, 23, 24, 26, 27, 28, 29, 30, 32, 33, 35, 36, 38, 40, 41, 42, 46, 50, 54, 55mm Packaged in a plastic case tool box.



SPECIALIZED TOOLS



ADJUSTABLE MAGNETS

CAT. NO.	DESCRIPTION
S302375	Retrieving tool 18"

SCREWSTARTERS

CAT. NO.	DESCRIPTION
ULL-N-4	Slotted
ULL-PN-12	Phillips

POCKET MAGNETS

CAT. NO.	DESCRIPTION
S30385	6" long

ACCESSORIES

CAT. NO.	DESCRIPTION
S30PFP-1	Fuse puller
SIP-LIGHT	Waterproof flashlight
S90001	Penta wrench
KN985313	Dismantling knife

HOOK & PICK

CAT. NO.	DESCRIPTION
S3042996	4 pc. pick & hook set; Straight pick, 90 deg. hook, round hook & compound bend pick
S3042996-1	Straight pick
S3042996-2	90 deg
S3042996-3	Round
S3042996-4	Compound bend pick

BOXES AND ROLLS

CAT. NO.	DESCRIPTION
BOX-TK30	TK30 box with foam insert
BOX-TK60	TK60 box
BOX PB-16	16" tool box
ROLL-04	Roll 10 pockets for screwdrivers and nutdrivers
ROLL-05	Roll 9 pockets (4 for Pliers and 5 for screwdrivers) for TK9
ROLL-06	Roll 18 pockets for 1 hex wrenches
ROLL-08	Roll 13 pockets for "t" type hex wrench
ROLL-10	Roll 18 pockets for box and open wrenches
ROLL-11	Socket kit roll

DOUBLE END PICKUP MAGNET

CAT. NO.	DESCRIPTION
S27300-6	6" Double ended pickup magnet 5 lbs and 1-1/2 lbs pulling capacity
S27300-12	12" Double ended pickup magnet 5 lbs and 1-1/2 lbs pulling capacity
S27300-18	18" Double ended pickup magnet 5 lbs and 1-1/2 lbs pulling capacity

CAPABLE OF RETRIEVING STEEL PARTS AND FASTENERS FROM 1-1/2 LB TO 5 LB FROM HARD TO REACH PLACES. ALL SIP MAGNETS ARE MADE OF ALNICO MATERIAL.

DOUBLE END SCREW STARTERS


CAT. NO.	DESCRIPTION
S27400-6	6" Double end screw starter phillips at one end and slotted at the opposite end
S27400-12	12" Double end screw starter phillips at one end and slotted at the opposite end
S27400-18	18" Double end screw starter phillips at one end and slotted at the opposite end

SLOTTED SCREW STARTER WITH MAGNET

CAT. NO.	DESCRIPTION
S27500-6	6" Slotted screw starter with 1-1/2 lbs pickup magnet on opposite side
S27500-12	12" Slotted screw starter with 1-1/2 lbs pickup magnet on opposite side
S27500-18	18" Slotted screw starter with 1-1/2 lbs pickup magnet on opposite side

PHILLIPS SCREW STARTER WITH MAGNET

CAT. NO.	DESCRIPTION
S27700-6	6" Phillips screw starter with 1-1/2 lbs pickup magnet on opposite side
S27700-12	12" Phillips screw starter with 1-1/2 lbs pickup magnet on opposite side
S27700-18	18" Phillips screw starter with 1-1/2 lbs pickup magnet on opposite side



NON-CONDUCTIVE TOOLS



Pickup Magnet with
1-1/2 LBS Pulling Capacity
at each mirror end



INSPECTION - MIRRORS

CAT. NO.	DESCRIPTION
S276A2-6	7/8" Circular mirror, 6" OAL (Over All Length) with pickup magnet 1-1/2lbs pulling capacity at the other end
S276A2-12	7/8" Circular mirror, 12" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276A2-18	7/8" Circular mirror, 18" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276E2-6	1-1/4" Circular mirror, 6" OAL with pickup magnet 1-1/2 lbs pulling capacity
S276E2-12	1-1/4" Circular mirror, 12" OAL with pickup magnet 1-1/2 lbs pulling capacity
S276E2-18	1-1/4" Circular mirror, 18" OAL with pickup magnet 1-1/2 lbs pulling capacity
S276C2-6	2-1/4" Circular mirror, 6" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276C2-12	2-1/4" Circular mirror, 12" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276C2-18	2-1/4" Circular mirror, 18" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276S2-6	3-1/4" Circular mirror, 6" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276S2-12	3-1/4" Circular mirror, 12" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276S2-18	3-1/4" Circular mirror, 18" OAL with pickup magnet 1-1/2lbs pulling capacity at the other end
S276K2-6	2-1/4 x 3-1/2" Rectangular mirror, 6" OAL with pickup magnet 1-1/2 lbs pulling capacity
S276K2-12	2-1/4 x 3-1/2" Rectangular mirror, 12" OAL with pickup magnet 1-1/2 lbs pulling capacity
S276K2-18	2-1/4 x 3-1/2" Rectangular mirror, 18" OAL with pickup magnet 1-1/2 lbs pulling capacity
S276B2-6	1 x 2" Oval mirror, 6" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276B2-12	1 x 2" Oval mirror, 12" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end
S276B2-18	1 x 2" Oval mirror, 18" OAL with pickup magnet 1-1/2 lbs pulling capacity at the other end

NON-SPARKING & NON-MAGNETIC SAFETY TOOLS

SPECIFICALLY DESIGNED TO ELIMINATE THE RISK OF DANGEROUS SPARKS.

NON-SPARKING & NON-MAGNETIC SAFETY TOOLS

Salisbury by Honeywell is proud to introduce the *New Non-Sparking/Non-Magnetic Insulated Hand Tools and Tool Kits*. This new introduction to the Insulated Hand Tool line are manufactured from special Aluminum-Bronze and Copper-Beryllium alloys for safe use in areas where hazardous, flammable, or combustible vapors, liquids, dusts, or residues may be present. These tools are also highly corrosion-resistant.

Aluminum bronze and copper beryllium non-sparking safety tools are specifically designed to eliminate the risk of sparks at sites where explosive atmospheres may be present.

Our safety tools are drop forged for the highest quality in hand tools. These corrosion-resistant tools are suitable for use in ship yards, laboratories and paper and pulp mills, as well as in the pharmaceutical, food product manufacturing and wine industries.

Every non-sparking/non-magnetic double insulated hand tool is rated for exposure up to 1000 VAC and dielectrically tested at 10,000 VAC. These tools meet or exceed ASTM 1505-07 and IEC 900 standards for insulated hand tools. These tools are necessary for compliance with OSHA 1910.333 (c)(2) and NFPA. These tools also meet CSA-2462 standards.

These tools utilize the same highly impact resistant insulating material as our established full line of insulated hand tools. The insulating material used is flame retardant and created with two-colors; making inspection easier and adding to the overall safety. If the yellow under layer is showing, the tool may no longer be insulated properly and should be considered for replacement and shall be removed from service.

Appropriate applications include industries where non-sparking safety tools are required. The non-magnetic feature of these alloys also make them ideal for working on special machinery with powerful magnets such as MRI machines, military de-mining and explosives.

INDUSTRIES REQUIRING HAND TOOLS WITH NON-SPARKING PROPERTIES

MANUFACTURING INDUSTRIES:

- Alcohol Industries
- Ammunition, Missile & Explosives Plants
- Automotive Plants
- Breweries & Distilleries
- Chemical Manufacturing
- Flammable Materials Manufacturing
- Flour Mills
- Furniture Manufacturers (Varnish and Painting)
- Gas Plants
- Glue Factories
- Ink Industries
- Liquefied Petroleum Gases (LPG)
- Mining
- Nuclear Products
- Oil & Natural Gas Drilling, Refining & Handling
- Paint, Lacquer & Varnish Products
- Paper and Pulp Mills
- Petrochemicals
- Petroleum Refining
- Pharmaceutical Industries
- Pipeline Construction & Maintenance
- Plastic Manufacturing
- Sugar Mills
- Synthetic Fiber Manufacturing
- Wine Industries

TRANSPORTATION INDUSTRIES:

- Airports
- Railroads
- Shipyards
- Tankers
- Tanker Trucks
- Vessels
- Workboats

GOVERNMENT AGENCIES:

- Aircraft & Missile Plants
- Airport (Refueling & Maintenance Operations)
- Armed Forces
- Chemical, Biological, Radiological, Nuclear or Explosives Logistical Support Operational Equipment
- Fire Departments, Military Bases
- First Responders to Weapons of Mass Destruction, Firefighters, Public Safety Bomb Squads & Local Rescue Squads
- Hazardous Materials Handling & Clean-up
- Munitions Depots
- Nuclear Production & Waste
- Public Utilities: Gas, Electric & Telecommunication
- Waste Management
- Water Treatment Facilities

OTHER INDUSTRIES:

- Cleaning & Spraying Operations
- Confined Space Maintenance
- Explosive & Pyrotechnics
- Geophysical Exploration
- Grain Storage & Handling
- Hazardous Material Handling
- Maintenance & Service Operations
- Paint Spraying, Finishing & Booth Operations
- Packing Plants
- Propane Distributors & Bulk Plants
- Warehousing of all Hazardous Materials


INDUSTRIES REQUIRING HAND TOOLS WITH NON-MAGNETIC PROPERTIES

- Aircraft Maintenance & Overhaul
- Aluminum & Other Metal Smelting
- Electronics Manufacturers
- Hospitals & Clinics Magnetic Resonance Imaging (MRI)
- MRI Maintenance
- Mine Sweepers
- Nuclear Products & Testing Machines
- Precision Magnetic Equipment
- Public Utilities: Gas, Electric & Telephone
- Radar Transmission Centers

INDUSTRIES REQUIRING HAND TOOLS WITH CORROSION-RESISTANT PROPERTIES

- Boat Owners
- Chemical Manufacturing
- Desalinization Plants
- Food Product Manufacturing
- Laboratories
- Paper & Pulp Mills
- Petrochemicals
- Pharmaceutical Industry
- Plastic Manufacturing
- Shipyards
- Tankers, Vessels & Other Work Boats
- Wine Industry

**INTRODUCING
NEW GREEN COLOR
OUTER COATING OVER
YELLOW COATING.**



OFFERING A FULL LINE OF TOOLS & TOOL KITS:

CONTACT CUSTOMER SERVICE FOR ADDITIONAL INFORMATION ON SALISBURY'S FULL OFFERING OF NON-SPARK NON-MAGNETIC INSULATED HAND TOOLS & KITS.

- Box End Wrenches
- Open End Wrenches
- Hex Wrenches
- Ratcheting Wrenches

- Pliers
- Cutters
- Socket Wrenches
- Screwdrivers

- Sockets
- Spanner Wrenches
- Tool Kits and more

NON-SPARKING & NON-MAGNETIC SAFETY TOOLS

KITS



NON-SPARKING & NON MAGNETIC BASIC ELECTRICIAN ROLL

CAT. NO.	DESCRIPTION
TK10NS	9 pcs. includes: 3/16 x 4 Slotted screwdriver 1/4 x 6 Slotted screwdriver 5/16 x 6 Slotted screwdriver #2 x 4 Phillips screwdriver #1 x 3 Phillips screwdriver 8" Needle nose Pliers 7 1/2" Diagonal Pliers 8" Lineman Pliers 10" Water pump Pliers In a tool roll bag

NON-SPARKING & NON MAGNETIC HYBRID TOOL KIT

CAT. NO.	DESCRIPTION
TK11HBNS	11 pcs. Includes: 8" Lineman Pliers 8" Slipjoint Pliers 6" Chain nose Pliers 6" Diagonal Pliers 10" Water pump Pliers #1 x 3 Phillips screwdriver #2 x 4 Phillips screwdriver 3/16 x 4 Slotted screwdriver 1/4 x 4 Slotted screwdriver 1/4 x 6 Slotted screwdriver 5/16 x 6 Slotted screwdriver In a plastic tool box

NON-SPARKING & NON MAGNETIC SCREWDRIVER KIT

CAT. NO.	DESCRIPTION
S23872NS	7 pcs. includes: 1/8 x 3 Slotted screwdriver 3/16 x 4 Slotted screwdriver 1/4 x 6 Slotted screwdriver 5/16 x 6 Slotted screwdriver #0 x 2 3/8 Phillips screwdriver #1 x 3 Phillips screwdriver #2 x 4 Phillips screwdriver In a tool roll bag
S23873NS	10 pcs. Includes: 1/8 x 3 Slotted screwdriver 3/16 x 4 Slotted screwdriver 1/4 x 6 Slotted screwdriver 5/16 x 6 Slotted screwdriver 3/8 x 8 Slotted screwdriver 3/8 x 12 Slotted screwdriver #1 x 3 Phillips screwdriver #2 x 4 Phillips screwdriver #3 x 6 Phillips screwdriver #4 x 8 Phillips screwdriver In a tool roll bag

**INTRODUCING
NEW GREEN COLOR
OUTER COATING OVER
YELLOW COATING.**



NON-SPARKING & NON MAGNETIC OPEN END WRENCH SETS

CAT. NO.	DESCRIPTION
S241714NS	14 pcs. wrench open 3/8" - 1-1/4" In a tool roll bag
S241713NS	13 pcs. wrench open 1/4" - 1" In a tool roll bag
S241814NS	13 pcs. Wrench open 7mm - 19mm In a tool roll bag
S241818NS	17 pcs. Wrench open 7mm - 24mm In a tool roll bag



NON-SPARKING & NON MAGNETIC BOX END WRENCH SETS

CAT. NO.	DESCRIPTION
S241714-BNS	14 pcs. Wrench box 3/8" - 1-1/4" In a tool roll bag
S241713-BNS	13 pcs. Wrench box 1/4" - 1" in a tool roll bag
S241814-BNS	13 pcs. Wrench box 7mm - 19mm In a tool roll bag
S241818-BNS	17 pcs. Wrench box 7mm - 24mm In a tool roll bag



NON-SPARKING & NON MAGNETIC HEX WRENCH TYPE "L" SET

CAT. NO.	DESCRIPTION
S2610214NS	14 pcs. 1/16" - 1/2" Long arm In a tool roll bag

NON-SPARKING & NON MAGNETIC METRIC HEX WRENCH TYPE "L"

CAT. NO.	DESCRIPTION
S2610610NS	12 pcs. Hex wrench 1.5mm - 12mm type I long arm In a tool roll bagnon-sparking & non magnetic Close Quarter Socket Sets

CAT. NO.	DESCRIPTION
S204947NS	1/4" Dr. set 13 pcs. includes : 1/4" ratchet 4" & 8" flared extensions, regular sockets 6pt: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", and 9/16" In a plastic case.

THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.

S204654NS	3/8" Dr. set 14 pcs. includes : 3/8" ratchet 3" & 6" flared extensions, regular sockets 6pt: 1/4", 5/16", 3/8", 7/16", 1/2" 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8" In a plastic case.
-----------	--

THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.

S204122NS	1/2" Dr. set 22 pcs. includes: 1/2" ratchet 4" & 8" flared extension, regular sockets 6pt : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4", 1 5/16", 1 3/8", 1 7/16", 1 1/2" In a plastic tool box.
-----------	---

THIS SET IS DESIGNED FOR USE IN TIGHT WORK SPACES.



Arc Flash: An arcing fault is the flow of current through the air between phase conductors or phase conductors and neutral or ground. An arcing fault can release tremendous amounts of concentrated radiant energy at the point of the arcing in a small fraction of a second resulting in extremely high temperatures, a tremendous pressure blast and shrapnel hurling at high velocity.

ASTM: American Society for Testing and Materials

Arc Thermal Performance Value (ATPV): This value is presented in calories per square centimeter and represents the maximum capability for arc flash protection of a particular garment. This rating also applies to fabrics; however, a garment made from more than one layer of arc flash rated fabric will have a calorie per square centimeter rating greater than the sum of the ATPV ratings of the original fabrics. The calories per square centimeter rating of most arc flash protection suits, coveralls and coats is commonly sewn into the fabric in large letters on the outside of the garment.

Calories per Centimeter Squared (cal/cm²): This is a number identifying the amount of energy that can be delivered to a Point at a particular distance from an arc flash. Once this value is known, the ATPV rating of the flash clothing required for work at that distance from the potential flash hazard is also known. See ATPV.

Calorie: A calorie is the energy required to raise one gram of water one degree Celsius at one atmosphere. The onset of second-degree burns may occur at 1.2 calories per centimeter squared per second. One calorie per centimeter squared per second can be equal to holding your finger over the tip of the flame of a cigarette lighter for one second.

De-energized: Free from any electrical connection to a source of potential difference and from electrical charge; not having a potential different from that of the earth.

Electrical Hazard: A dangerous condition such that contact or equipment failure can result in electric shock, arc flash burn, thermal burn, or blast.

Electrical Safety: Recognizing hazards associated with the use of electrical energy and taking precautions so that hazards do not cause injury or death.

Electrically Safe Work Condition: A state in which the conductor or circuit part to be worked on or near has been disconnected from energized parts, locked/tagged in accordance with established standards, tested to ensure the absence of voltage and grounded if determined necessary.

Energy Breakopen Threshold (EBT): Primarily, this addresses the physical strength of the fabric with respect to thermal energy and at what arc-flash value the fabric will fail.

Flame-Resistant (FR): The property of a material whereby combustion is prevented, terminated, or inhibited following the application of a flaming or non-flaming source of ignition, with or without subsequent removal of the ignition source.

Flash Hazard: A dangerous condition associated with the release of energy caused by an electric arc.

Flash Hazard Analysis: A study investigating a worker's potential exposure to arc-flash energy, conducted for the purpose of injury prevention, the determination of safe work practices and the appropriate levels of PPE.

Flash Protection Boundary: An approach limit at a distance from exposed live parts within which a person could receive a second degree burn if an electrical arc flash were to occur.

Flash Suit: A complete arc rated clothing and equipment system that covers the entire body, except for the hands and feet. This includes pants, jacket and bee-keeper-type hood fitted with a face shield.

IEEE: The Institute of Electrical and Electronics Engineers (IEEE) (Note: IEEE1584 – 2002 Guide to Performing Arc-Flash Hazard Calculations).

Incident Energy: The amount of energy impressed on a surface, a certain distance from the source, generated during an electrical arc event. One of the units used to measure incident energy is calories per centimeter squared (cal/cm²).

Limited Approach Boundary: An approach limit at a distance from an exposed live part within which a shock hazard exists.

NEC The National Electrical Code: The NFPA Standard 70-2005 "The National Electrical Code" (NEC) (Note: paragraph 110.16 contains requirements for warning labels).

NFPA: The National Fire Protection Association.

NFPA 70E Standard: Standard that provides guidance on implementing appropriate work practices that are required to safeguard workers from injury while working on or near exposed electrical conductors or circuit parts that could become energized.

OSHA: Occupational Safety and Health Administration.

OSHA 29 CFR 1910, Subpart S-Electrical: Occupational Safety and Health Standards. Section 1910 Subpart S-Electrical Standard number 1910.333 specifically addresses Standards for Work Practices.

Personal Protective Equipment (PPE): Categories defined by NFPA 70E to explain protection levels needed when performing tasks. The values range from -1 to 4. ATPV rated PPE is required for categories 1 through 4 as follows:

- Category 1: 4 cal/cm²
- Category 2: 8 cal/cm²
- Category 3: 25 cal/cm²
- Category 4: 40 cal/cm²

Prohibited Approach Boundary: An approach limit at a distance from an exposed live part within which work is considered the same as making contact with the live part.

Restricted Approach Boundary: An approach limit at a distance from an exposed live part within which there is an increased risk of shock, due to electrical arc over combined with inadvertent movement, for personnel working in close proximity to the live part.

Shock Hazard: A dangerous electrical condition associated with the possible release of energy caused by contact or approach to energized parts.

Voltage, Nominal: A nominal value assigned to a circuit or system for the purpose of conveniently designating its voltage class. The actual voltage at which a circuit operates can vary from the nominal within a range that permits satisfactory operation of equipment.

Working Near (live parts): Any activity inside a limited approach boundary.

Working On (live parts): Coming in contact with live parts with the hands, feet, or other body parts, with tools, probes, or with test equipment, regardless of the personal protective equipment a person is wearing.

PRODUCT INDEX

SAS ASSESSMENT SOLUTIONS

SAS Services	6-13
SAS Offerings	11
SAS Overview	7
SAS Safety Labels	12
SAS Safety Training	13

FACE, HEAD & NECK PROTECTION

2000V	19
4000V	19
10000V	19
AFHOOD10	22
AFHOOD15	22
AFHOOD20	22
AFHOOD28EO	22
AFHOOD28FF	22
AFLENS	17
AFLENSU	17, 19
Arc Flash Protection	
Hoods	22
AS12CLIP	17, 23
AS12CLR	17
AS12CLR-FB	16, 17
AS12ORG-FB	17
AS1000	18
AS1000FB	18
AS1000FS	19
AS1000HAT	18, 21
AS1000HAT Kit	21
AS1000U	18
AS1200	15, 17
AS1200FB	16, 17
AS1200FS	17, 19
AS1200FS-FB	17
AS1200HAT	15, 17, 21
AS1200HAT-CLR	15, 17
AS1200U	16, 17
AS2000	15
AS2000FS	15
AS2000HAT	21
ASBAG	18, 40
ASCP	20
ASFL	17, 23
ASSLB	20
BN-1	20
BRACKET	20
CE Marking	27
FBBRACKET	20
FH8BL-C	24
FH11BL-C	24
FH20BL-C	24
FH31RB-C	24
FH40GY-C	24
FH40PLT-C	24
FH55GY-C	24
FH75GY-C	24
FH100TW-C	24
FLCLIP	17, 23
FLKIT	17, 23
HN-1	20
LFH40	24, 28
Protective Faceshield Optional	
Accessories	17
Protective Nets	20
Replacement Arc Flash	
Protection Lenses	19
Replacement Brackets	20

SA79	18
SA79R	18
Safety Glasses	20
SKA10	21
SKA12	21
SKA20	21
Transparent Chin Guard	
AS12CLR	17
TS56505GRY	20
TS56505GRYA	20
TS56505GRYS	20

PERSONAL ELECTRICAL SHOCK PROTECTION & ACCESSORIES

1-21517	52
10-4	45, 52
10-4-4QT	45, 52
21	50
1192	51
1212YLV	50
1212YLVNV	50
1236YLV	50
1236YLVNV	50
1451	52
1452	52
1453	52
1460	52
1461	52
1818YLV	50
1818YLVNV	50
4556	52
4667	52
4769	52
20817	51
21405	48
21406	48
22629	51
51508	48
51509	48
51511	48
51512	48
AFG11	47
AFG20	47
AFG31	47
AFG40	47
AFG55	47
AFG100	47
ARC45-15	49
ARC45-40	49
ARC48-15	49
ARC48-40	49
ARC142	49
ARC142-K12	49
ARC142-K16	49
Arc Flash Gloves	47
Arc Protection Blankets	49
ASTM Specification	
Reference	42
B2	44
B22	44
Blanket Fasteners	50
Class 00	45
Class 0 Yellow Low voltage	
Insulating Blankets	50
Class 2	45
Clear PVC Roll Blankets	50
Dielectric Footwear	48
E00	45
E1	45
E2	45

E014BL9H	45
E0014R10H	45
E214YB10	45
External Rod	
Clampsticks	52
Ferrules	54
G99	48
G99B	48
G99S	48
G99V	48
G100	48
G100A	48
GB112	48
GB114	48
GB116	48
GB118	48
GK	47
GK011BL9	47
Glove Bags	48
Glove Inflator	48
GLove Kits	47
Glove Liners	46
H1	44
Hand Cleaner	
& Towlettes	52
ILP3S	46
ILP5S	46
ILP7C	46
ILP10	46
ILP10A	46
ILPG3S	46
ILPG5S	46
ILPG7C	46
ILPG10	46
ILPG10A	46
IMPORTANT SAFETY	
INFORMATION FOR PPE	53
Insulated Rescue Hook	51
Insulating Gloves	47
Insulating rubber gloves	45
L10JK	46
L10MKW	46
L12J	46
Leather Protectors	46
Low Voltage molded Sleeves	
Low-volt Blankets	50
M24-2	49
M30-2	49
M36-2	49
M36-4	49
M48-2	49
MB6	49
Protective Rubber Equipment	
Labeling Chart	42
RLB00	50
RLB1	50
RLBPVC1	50
Roll Blankets	50
RUB-OUT®	
Hand Cleaner	52
S1	44
Sleeve Buttons, Straps, and	
Harnesses	44
Static Discharge Stick	51
Switchboard Matting	49
T31	44
T32	44
TEN-FOUR®	
Glove Dust	45, 52
Tool Holder SALCOR®	51
Type I 2RB	44
Type I 3LY	44

Type II 2ROS	44
Voltage Detectors	52

PRO-WEAR® ARC FLASH PROTECTION CLOTHING & KITS

8 cal/cm² to 20 cal/cm²	
PPE Kits	34
31 cal/cm² PPE Kits	34
40 cal/cm² PPE Kits	36
55 cal/cm² & 75 cal/cm²	
PPE Kits	36
100 cal/cm² PPE Kits	37
ACB830BL	30
ACB1130BL	30
ACB2030BL	30
ACB3130RB	30
ACB4030GY	30
ACB4030PLT	30, 35
ACB5530GY	30
ACB7530GY	30
ACB10030TW	30
ACC832BL	29
ACC1132BL	29
ACC2032BL	29
ACC3132RB	29
ACC4032GY	29
ACC4032PLT	29, 35
ACC5532GY	29
ACC7532GY	29
ACC10032TW	29
ACCA8BL	31
ACCA11BL	31
ACCA20BL	31
ACP830BL	31
ACP1130BL	31
ACP2030BL	31
Arc Flash Protection	
Hood	28
Arc Flash protection Premium	
Coverall Kits	33
Arc Flash protection Premium	
Coveralls	31, 32
Arc Flash protection Premium	
overpants	31
Clothing Kits Sizing	26
FH8BL	28
FH11BL	28
FH20BL	28
FH31RB	28
FH40GY	28
FH40PLT	28, 35
FH40PLT-C	35
FH55GY	28
FH75GY	28
FH100TW	28
Flash Protection	
Bib Overalls	30
Flash Protection Coats	29
PPE Category	
PPE Chart	41
Heavy Duty Tool Bag	40
material weights	26
Material Weights	
& Sizing	26
Personal Protection	
Equipment Kits	34
PRO-WEAR® Premium	
Light weight	22, 23, 35
SK8	34
SK11	34

SK 20	34
SK31	34
SK40	36
SK40PLT	35, 36
SK40PLT-C	35
SK55	36
SK75	36
SK100	37
SKBACKPACK	40
SKBAG	40
SKCA8	33
SKCA11	33
storage bag	40
The Ultimate	
Back Pack	40
UWG-GPU	39
UWG-HUXT	39
UWG-KLG	39
UWG-WPGC	39
UWG-WPSC	39

INSULATED HAND TOOLS (SIP) & KITS

Salisbury Insulated Products	
(S.I.P.)	63
1/2" Drive Hex Bit	
Socket	80
1/2" Hex Bit Socket	80
1/2" Torx Bit Socket	79
1/4" Drive Hex	
Bit Socket	80
1/4" Drive Screwdriver	
Bit Sockets	78
1/4" Hex Bit Socket	80
1/4" Tamper-Proof	
Torx Bit Socket	79
1/4" Torx Bit Socket	79
3/8" Drive Hex	
Bit Socket	81
3/8" Drive Screwdriver	
Bit Sockets	78
3/8" Hex Bit Socket	81
3/8" Tamper-Proof Torx Bit	
Socket	79
3/8" Torx Bit Socket	79
6" Long "T" Handle	
Hex Wrench	65
1000V Electrical Insulated	
Tool Kit	58
1000V Utility Insulated	
Hand Tool Kits	58
Accessories	84
Adapters	76
Adjustable Bug Wrench	66
Adjustable Magnets	84
Adjustable Wrench	66
Allen Socket Set	82
Basic Electrician Roll	56
Battery Torque Set	82
Bent Needle Nose Pliers	68
Bent Needle Nose Pliers	68
Bit Cutter	71
Box End Wrench	64
Box End Wrench Metric	
Sizes - 12 Point	64
Box End Wrench	
SAE Sizes - 12 Point	64
Box End Wrench Set	63
Boxes And Rolls	84
Box PB-16	84
Box-TK30	84

Box-TK60	84	Magnetic Bit Tip		ROLL-05	84	S24RB-58	64	S21516	69
Cable Cutter	71	Screwdriver	61	ROLL-06	84	S24RB-60	64	S21537	68
Cable Shear	71	Metric Deluxe Maintenance		ROLL-08	84	S24RB-64	64	S21546	68
Close Quarters		Tool Kit	60	ROLL-10	84	S24RB-68	64	S21548	68
Socket Set	83	Metric Electrician's		ROLL-11	84	S24RBM-10	65	S21611	70
Crimping Tool	69	Tool Kit	59	Rounded Nose Plier	69	S24RBM-15	65	S21718	68
Curved Cutting Pliers	67	Metric Hot Box Tool Kit Without		Rounded Nose Pliers	69	S30PPF-1	84	S21728	68
Cutting Pliers	69	Torque Wrench	59	S10TK12	57	S101	55	S21738	68
Cutting Pliers, Box Joint	68	Metric Hvac Tool Kit	60	S10TK12M	59, 60	S101M	60	S21748	68
Cutting Pliers, Lap Joint	67	Metric Inside Maintenance		S10TK23	55	S102	82	S21908	69
Cutting Pliers, Lap Joint	67	Box	59	S10TK23M	60	S103	82	S21909	69
Deep Socket	72, 73, 74	Metric Insulated		S10TK25	56	S103-ST	82	S21911	69
Deluxe Maintenance		Tool Kits	59	S10TK25M	59	S104	82	S23869	62
Tool Kit	56, 59	Metric Outside Maintenance		S10TK40	56	S105	82	S23870	62
Double End		Box	60	S10TK40M	59, 60	S106	82	S23871	62
Pickup Magnet	85	Metric Telecommunication		S21D305-6	68	S601	82	S23872NS	88
Double End Screw		Tool Box	60	S21GL6	69	S602	82	S23873NS	88
Starters	85	Metric Telecommunication		S21GL10	69	S602M	82	S23873NS	88
Electrician's Tool Kit	57	Tool Power		S21GL12	69	S603	82	S24804	66
End Cutting Nippers	68	Connecting Kit	60	S22TCI75FRN	67	S2144	68	S24806	66
End Cutting Pliers	68			S22TCI150FRN	67	S2147S	67	S24808	66
Extensions	77	Non-Conductive		S22TCI150RA	67	S2149	68	S24810	66
Extensions With		Tools	85, 86	S22TCI150RA38	67	S2150S	67	S24812	66
Flare End	77	Non-Sparking & Non Magnetic		S22TCI250FRN	67	S2610M	65	S24815	66
Fence Tool	67	Basic Electrician Roll	88	S22TCI250RA	67	S2613P	65	S24818	66
Fiberglass Extensions	77	Non-Sparking & Non Magnetic		S22TCI750R	67	S20384	76	S24824	66
Flat Nose Plier	68	Box End Wrench Sets	89	S22TS35	67	S20385	76	S25921	62
Flex Head Handles	76	Non-Sparking & Non		S22TS100	67	S20401	76	S25922	62
Hacksaw	71	Magnetic Close Quarter		S24C26	63	S20407	76	S25922L	62
Heavy Duty Slip		Socket Sets	89	S24C26-B	64	S20409	76	S25925	62
Joint Pliers	68	Non-Sparking & Non		S24C28	63	S20451	76	S25925L	62
Hex Wrench "T"		Magnetic Hex Wrench		S24C28-B	64	S21148-10	68	S27300-6	85
Handle Set	65	Type "L" Set	89	S24C30	63	S21148-14	68	S27300-12	85
Hex Wrench		Non-Sparking & Non Magnetic		S24C30-B	64	S21308	68	S27300-18	85
Type "L" Set	65	Hybrid Tool Kit	88	S24C32	63	S21310	70	S27400-6	85
Hook & Pick	84	Non-Sparking & Non Magnetic		S24C32-B	64	S21311	70	S27400-12	85
Hvac Tool Kit	57	Metric Hex		S24C34	63	S21317	67	S27400-18	85
Inside Maintenance Box	56	Wrench Type "L "	89	S24C34-B	64	S21318	67	S27500-6	85
Inspection - Mirrors	86	Non-Sparking & Non Magnetic		S24C36	63	S21326	67	S27500-12	85
Insulated Hand		Open End Wrench Sets	89	S24C36-B	64	S21337	67	S27500-18	85
Tool Markings	55	Non-Sparking & Non-Magnetic		S24C40	63	S21337W	67	S27700-6	85
Insulated Hand Tools	54	Safety Tools	87, 88, 89	S24C40-B	64	S21338	67	S27700-12	85
Insulated Nutdrivers	62	Non-Sparking & Non Magnetic		S24C42	63	S21346	69	S27700-18	85
Insulated Robertson		Screwdriver Kit	88	S24C42-B	64	S21347	69	S30385	84
Screwdrivers	61	Open End Wrench	63	S24C44	63	S21348	69	S90001	84
Insulated Slotted		Open End Wrench Sets	63	S24C44-B	64	S21350-S	69	S201340	83
Screwdrivers	61	Outside Maintenance		S24C46	63	S21356	68	S201919	83
Insulated Tool Kits	55	Box	56	S24C46-B	64	S21357	68	S204121	83
Insulated Torx		Phillips Screw Starter		S24C48	63	S21358	68	S204122	83
Screwdrivers	61	With Magnet	85	S24C48-B	64	S21369	69	S204122NS	89
KN985313	84	Pliers	68, 69, 71	S24C52	63	S21371	70	S204653	83
Lineman Pliers	69	Pliers	67	S24C52-B	64	S21372	70	S204654NS	89
Long Arm Hex Wrench	66	Pliers W/ Side Cutters	69	S24C54	63	S21373	70	S204946	83
Long Needle Nose Pliers	67	Pocket Magnets	84	S24C54-B	64	S21376	68	S204947NS	89
Long Reach Cable		Ratcheting		S24C56	63	S21415	69	S208406	73
Gripping Pliers	70	Box End Wrench	64	S24C56-B	64	S21420	69	S208407	73
Long Reach Chain Nose	70	Ratcheting Box End Wrench		S24C58	63	S21422	68	S208408	73
Long Reach Diagonal		6 Point Metric Sizes	64	S24C58-B	64	S21424	69	S208409	73
Cutters	70	Ratcheting Box End Wrench		S24C60	63	S21426	69	S208420	73
Long Reach End Cutter	68	12 Point Metric Sizes	64	S24C60-B	64	S21430	69	S208421	73
Long Reach Flat Nose	70	Ratcheting Box End Wrench		S24C64	63	S21435	68	S208422	73
Long Reach		12 Point Sae Sizes	64	S24C64-B	64	S21435S	68	S208423	73
Needle Nose	70	Ratcheting Box End Wrench		S24RB-12	65	S21436	68	S208424	73
Long Reach Oval Head	70	Set	65	S24RB-13	65	S21436S	68	S208425	73
Long Reach Plier	68	Ratcheting Cable Cutter	71	S24RB-42	64	S21437	68	S208426	73
Long Reach Pliers	70	Ratchets	76	S24RB-44	64	S21440	69	S208429	73
Long Reach Pliers	68	Ratchet & Socket		S24RB-46	64	S21442	68	S208430	73
Long Reach Slip Joint		Accessories	76, 77,	S24RB-48	64	S21460	69	S208431	73
Cable Grippers	70		78, 79, 80, 81	S24RB-50	64	S21480	69	S208432	73
Long Reach Slip Joint		Ratchet & Socket		S24RB-52	64	S21510	70	S208433	73
Pliers	70	Sets	82, 83	S24RB-54	64	S21512	70	S208434	73
Long Reach Thin Head	70	ROLL-04	84	S24RB-56	64	S21514	70	S208435	73

PRODUCT INDEX

S208436.....	73	S248323.....	63	S262231.....	66	S2041207.....	81	S2042432.....	73
S208437.....	73	S248323-B.....	64	S262233.....	66	S2041208.....	81	S2042507.....	79
S208438.....	73	S248324.....	63	S262235.....	66	S2041209.....	81	S2042508.....	79
S208439.....	73	S248324-B.....	64	S262239.....	66	S2041210.....	81	S2042510.....	79
S211005.....	69	S248325.....	63	S262243.....	66	S2041211.....	81	S2042515.....	79
S211202R.....	71	S248325-B.....	64	S262247.....	66	S2041212.....	81	S2042520.....	79
S213202R.....	71	S248326.....	63	S262251.....	66	S2041213.....	80	S2042525.....	79
S213248.....	69	S248326-B.....	64	S262255.....	66	S2041214.....	80	S2042527.....	79
S213402R.....	71	S248327.....	63	S262259.....	66	S2041215.....	80	S2042530.....	79
S214044.....	70	S248327-B.....	64	S262267.....	66	S2041216.....	80	S2042580.....	79
S214046.....	70	S248328.....	63	S262275.....	66	S2041218.....	80	S2042590.....	79
S214048.....	70	S248328-B.....	64	S262283.....	66	S2041220.....	80	S2042595.....	79
S214050.....	70	S248329.....	63	S262291.....	66	S2041221.....	80	S2042600.....	79
S214052.....	70	S248329-B.....	64	S262344.....	65	S2041222.....	80	S2042640.....	79
S214054.....	70	S248330.....	63	S302375.....	84	S2041225.....	81	S2042645.....	79
S215090FS.....	71	S248330-B.....	64	S2040120.....	74	S2041226.....	81	S2042650.....	79
S215410.....	68	S248332.....	63	S2040122.....	74	S2041266.....	80	S2042655.....	79
S215602R.....	71	S248332-B.....	64	S2040124.....	74	S2041268.....	80	S2042908.....	79
S241713.....	63	S248336.....	63	S2040126.....	74	S2041270.....	80	S2042910.....	79
S241713-B.....	63	S248336-B.....	64	S2040128.....	74	S2041310.....	81	S2042915.....	79
S241713-BNS.....	89	S249008.....	64	S2040130.....	74	S2041400.....	81	S2042920.....	79
S241713NS.....	89	S249010.....	64	S2040132.....	74	S2041401.....	81	S2042925.....	79
S241714.....	63	S249011.....	64	S2040134.....	74	S2041402.....	81	S2042927.....	79
S241714-B.....	63	S249012.....	64	S2040136.....	74	S2041403.....	81	S2042930.....	79
S241714-BNS.....	89	S249013.....	64	S2040138.....	74	S2041404.....	81	S2042958.....	79
S241714NS.....	89	S249014.....	64	S2040140.....	74	S2041405.....	81	S2042960.....	79
S241718NS.....	89	S249015.....	64	S2040142.....	74	S2041406.....	81	S2042965.....	79
S241780.....	63	S249016.....	64	S2040144.....	74	S2041407.....	81	S2042970.....	79
S241780-B.....	63	S249018.....	64	S2040146.....	74	S2041408.....	81	S2042975.....	79
S241790.....	63	S249020.....	64	S2040148.....	74	S2041409.....	81	S2042977.....	79
S241790-B.....	63	S249022.....	64	S2040212.....	74	S2041410.....	81	S2043906.....	72
S241814.....	63	S249024.....	64	S2040214.....	74	S2041411.....	81	S2043907.....	72
S241814-B.....	63	S249026.....	64	S2040216.....	74	S2041412.....	80	S2043908.....	72
S241814-BNS.....	89	S249028.....	64	S2040218.....	74	S2041413.....	80	S2043909.....	72
S241814NS.....	89	S249030.....	64	S2040701.....	72	S2041414.....	80	S2043910.....	72
S241818.....	63	S249032.....	64	S2040702.....	72	S2041416.....	80	S2043911.....	72
S241818-B.....	63	S249034.....	64	S2040703.....	72	S2041417.....	80	S2043912.....	72
S241818-BNS.....	89	S249036.....	64	S2040704.....	72	S2041419.....	80	S2043914.....	72
S241818NS.....	89	S249038.....	64	S2040705.....	72	S2041462.....	80	S2043916.....	72
S248306.....	63	S249106.....	64	S2040706.....	72	S2041463.....	80	S2043918.....	72
S248306-B.....	64	S249107.....	64	S2040707.....	72	S2041464.....	80	S2044205.....	79
S248307.....	63	S249108.....	64	S2040708.....	72	S2041466.....	80	S2044206.....	79
S248307-B.....	64	S249109.....	64	S2040709.....	72	S2041467.....	80	S2044207.....	79
S248308.....	63	S249110.....	64	S2040710.....	72	S2041469.....	80	S2044208.....	79
S248308-B.....	64	S249111.....	64	S2040711.....	72	S2041502.....	81	S2044209.....	79
S248309.....	63	S249112.....	64	S2040712.....	72	S2041503.....	81	S2044210.....	79
S248309-B.....	64	S249113.....	64	S2040713.....	72	S2041504.....	81	S2044212.....	79
S248310.....	63	S249114.....	64	S2040714.....	72	S2041505.....	81	S2044214.....	79
S248310-B.....	64	S249115.....	64	S2040812.....	74	S2041506.....	81	S2044216.....	79
S248311.....	63	S249116.....	64	S2040814.....	74	S2041507.....	81	S2044304.....	80
S248311-B.....	64	S249117.....	64	S2040816.....	74	S2041508.....	81	S2044305.....	80
S248312.....	63	S249118.....	64	S2040818.....	74	S2041509.....	81	S2044306.....	80
S248312-B.....	64	S249119.....	64	S2040820.....	74	S2041510.....	81	S2044307.....	80
S248313.....	63	S249120.....	64	S2040822.....	74	S2041511.....	81	S2044308.....	80
S248313-B.....	64	S249121.....	64	S2040824.....	74	S2041613.....	80	S2044309.....	80
S248314.....	63	S249122.....	64	S2040826.....	74	S2041614.....	80	S2044310.....	80
S248314-B.....	64	S249123.....	64	S2040828.....	74	S2041615.....	80	S2044312.....	80
S248315.....	63	S249124.....	64	S2040830.....	74	S2041621.....	80	S2044314.....	80
S248315-B.....	64	S249125.....	64	S2040832.....	74	S2041622.....	80	S2044316.....	80
S248316.....	63	S249126.....	64	S2040834.....	74	S2041697.....	72	S2044324.....	80
S248316-B.....	64	S249127.....	64	S2040836.....	74	S2041711.....	72	S2044325.....	80
S248317.....	63	S249129.....	64	S2040838.....	74	S2042408.....	73	S2044326.....	80
S248317-B.....	64	S249130.....	64	S2040840.....	74	S2042410.....	73	S2044327.....	80
S248318.....	63	S249132.....	64	S2040842.....	74	S2042412.....	73	S2044328.....	80
S248318-B.....	64	S249134.....	64	S2040844.....	74	S2042414.....	73	S2044330.....	80
S248319.....	63	S249136.....	64	S2040846.....	74	S2042416.....	73	S2044470.....	78
S248319-B.....	64	S262223.....	66	S2040848.....	74	S2042418.....	73	S2044471.....	78
S248320.....	63	S262224.....	66	S2041201.....	81	S2042420.....	73	S2044472.....	78
S248320-B.....	64	S262225.....	66	S2041202.....	81	S2042422.....	73	S2044473.....	78
S248321.....	63	S262226.....	66	S2041203.....	81	S2042424.....	73	S2044480.....	78
S248321-B.....	64	S262227.....	66	S2041204.....	81	S2042426.....	73	S2044481.....	78
S248322.....	63	S262228.....	66	S2041205.....	81	S2042428.....	73	S2044482.....	78
S248322-B.....	64	S262229.....	66	S2041206.....	81	S2042430.....	73	S2044483.....	78

PRODUCT INDEX

S2044570.....	78	S2045684.....	78	S2341427.....	61	S2610614.....	65	sip-light.....	84
S2044571.....	78	S2045904.....	81	S2341430.....	61	S2615603.....	66	Slip Joint Plier.....	69
S2044572.....	78	S2045905.....	81	S2341440.....	61	S2615604.....	66	Slip Joint Pliers.....	69
S2044573.....	78	S2045906.....	81	S2341445.....	61	S2615605.....	66	Slotted Screw Starter	
S2044581.....	78	S2045907.....	81	S2341450.....	61	S2615606.....	66	With Magnet.....	85
S2044582.....	78	S2045908.....	81	S2375704.....	61	S2615607.....	66	Snap Ring Plier.....	71
S2044583.....	78	S2045909.....	81	S2375705.....	61	S2615608.....	66	Sockets - 1/2" Drive.....	74
S2044702.....	72	S2045910.....	81	S2375706.....	61	S2615609.....	66	Sockets - 1/4" Drive.....	72
S2044703.....	72	S2045912.....	81	S2375708.....	61	S2615610.....	66	Sockets - 3/4" Drive.....	75
S2044704.....	72	S2045913.....	81	S2375710.....	61	S2615611.....	66	Sockets - 3/8" Drive.....	73
S2044706.....	72	S2045914.....	81	S2375712.....	61	S2615612.....	66	Socket Set 3/8" Driver Deep	
S2044707.....	72	S2047124.....	75	S2375904.....	61	S2615614.....	66	Set.....	82
S2044708.....	72	S2047126.....	75	S2375906.....	61	S2615616.....	66	Specialized Tools.....	84
S2044709.....	72	S2047128.....	75	S2375908.....	61	S2615618.....	66	Standard	
S2044710.....	72	S2047130.....	75	S2375910.....	61	S2615620.....	66	Socket.....	72, 73, 74
S2044711.....	72	S2047132.....	75	S2376102.....	61	S2615622.....	66	Tamper-Proof	
S2044712.....	72	S2047134.....	75	S2376103.....	61	S2615624.....	66	Torx Bit Socket.....	79
S2044713.....	72	S2047136.....	75	S2376103A.....	61	S2615628.....	66	Telecommunication	
S2044883.....	78	S2047138.....	75	S2376104.....	61	S2615634.....	66	Tool Box.....	55
S2044906.....	72	S2047140.....	75	S2376105.....	61	S2615638.....	66	Thin Profile Electronics	
S2044907.....	72	S2047142.....	75	S2376105A.....	61	S2615644.....	66	Pliers.....	70
S2044908.....	72	S2047144.....	75	S2376106.....	61	S2615648.....	66	TK9.....	56
S2044909.....	72	S2047146.....	75	S2376108.....	61	S2615651.....	66	TK10NS.....	88
S2044910.....	72	S2047148.....	75	S2376302.....	61	S2615656.....	66	TK11HBNS.....	88
S2044911.....	72	S2047150.....	75	S2376802.....	61	S2615660.....	66	TK12HB.....	58
S2044912.....	72	S2047152.....	75	S2376806.....	61	S2631605.....	65	TK13TC.....	58
S2044914.....	72	S2047154.....	75	S2377610.....	61	S2631606.....	65	TK15LM.....	58
S2044916.....	72	S2047156.....	75	S2377611.....	61	S2631607.....	65	TK16MT.....	58
S2044918.....	72	S2047158.....	75	S2377620.....	61	S2631608.....	65	TK24SS.....	58
S2045120.....	73	S2047160.....	75	S2377621.....	61	S2631609.....	65	TK30.....	56
S2045122.....	73	S2047164.....	75	S2377630.....	61	S2631610.....	65	TK30ETK.....	57
S2045124.....	73	S2047168.....	75	S2377631.....	61	S2631611.....	65	TK30ETKM.....	60
S2045126.....	73	S2047171.....	75	S2470221.....	66	S2631612.....	65	TK30M.....	59
S2045128.....	73	S2047172.....	75	S2470222.....	66	S2631614.....	65	TK60.....	57
S2045130.....	73	S2047176.....	75	S2488408.....	63	S2631616.....	65	TK60E.....	57
S2045132.....	73	S2048010.....	74	S2488408-B.....	64	S2631620.....	65	TK60EM.....	59
S2045208.....	73	S2048011.....	74	S2488410.....	63	S2631622.....	65	TK60M.....	59
S2045210.....	73	S2048012.....	74	S2488410-B.....	64	S2631624.....	65	Tongue & Groove Plier.....	69
S2045212.....	73	S2048013.....	74	S2488412.....	63	S2631628.....	65	Torque Screwdriver.....	67
S2045214.....	73	S2048014.....	74	S2488412-B.....	64	S2631632.....	65	Torque Wrenches.....	67
S2045216.....	73	S2048015.....	74	S2488414-B.....	64	S2631634.....	65	Torque Wrenchs.....	67
S2045218.....	73	S2048016.....	74	S2488416.....	63	S2634620.....	65	"T" Socket Driver.....	76
S2045220.....	73	S2048017.....	74	S2488416-B.....	64	S2634625.....	65	Ull-N-4.....	84
S2045440.....	79	S2048018.....	74	S2488418.....	63	S2634630.....	65	Ull-Pn-12.....	84
S2045445.....	79	S2048019.....	74	S2488418-B.....	64	S2634640.....	65	V Groove Plier.....	68
S2045450.....	79	S2048020.....	74	S2488420.....	63	S2634650.....	65	Waterpump Plier.....	68
S2045455.....	79	S2048021.....	74	S2488420-B.....	64	S2634660.....	65	Waterpump Pliers.....	69
S2045471.....	78	S2048022.....	74	S2488422.....	63	S2634680.....	65	Wire Stripper.....	69
S2045472.....	78	S2048023.....	74	S2488422-B.....	64	S2634690.....	65	Wire Stripper-Cutter	
S2045473.....	78	S2048024.....	74	S2488424.....	63	S2634691.....	65	-Crimper.....	69
S2045474.....	78	S2048025.....	74	S2488424-B.....	64	S2634692.....	65	Wiring Plier.....	67
S2045475.....	78	S2048026.....	74	S2542010.....	62	S2742614.....	61	Wiring Pliers.....	67
S2045481.....	78	S2048027.....	74	S2542030.....	62	S3042996.....	84	Wrenches.....	64, 66
S2045482.....	78	S2048028.....	74	S2542050.....	62	S3042996-1.....	84		
S2045483.....	78	S2048030.....	74	S2542060.....	62	S3042996-2.....	84		
S2045484.....	78	S2048032.....	74	S2542070.....	62	S3042996-3.....	84		
S2045540.....	79	S2089023.....	83	S2542080.....	62	S3042996-4.....	84		
S2045545.....	79	S2094712E.....	83	S2542090.....	62	S21120245R.....	71		
S2045547.....	79	S2111045.....	69	S2542100.....	62	S21120290R.....	71		
S2045550.....	79	S2112098.....	69	S2542110.....	62	S21320245R.....	71		
S2045555.....	79	S2137145.....	70	S2542710.....	62	S21320290R.....	71		
S2045560.....	79	S2161145.....	70	S2542730.....	62	S21340245R.....	71		
S2045565.....	79	S2161190.....	70	S2542750.....	62	S21340290R.....	71		
S2045570.....	79	S2163030.....	71	S2542760.....	62	S21560245R.....	71		
S2045580.....	79	S2163035.....	71	S2542770.....	62	S21560290R.....	71		
S2045671.....	78	S2163035-RING.....	71	S2542780.....	62	Screwdriver & Nutdriver			
S2045672.....	78	S2163041.....	71	S2542790.....	62	Sets.....	62		
S2045673.....	78	S2163041-RING.....	71	S2542800.....	62	Screwdriver Sets With			
S2045674.....	78	S2163055-RING.....	71	S2610214.....	65	Cushion Grip.....	62		
S2045675.....	78	S2341410.....	61	S2610214NS.....	89	Screwdrivers			
S2045681.....	78	S2341415.....	61	S2610217.....	65	& Nutdrivers.....	61		
S2045682.....	78	S2341420.....	61	S2610610.....	65	Screwstarters.....	84		
S2045683.....	78	S2341425.....	61	S2610610NS.....	89	Short Nose Plier.....	68		

LIMITED WARRANTY

Salisbury by Honeywell Line Equipment is warranted for a period of twelve (12) month from the date of shipment of the products to be free from defects and meet or exceed the current ASTM standards. Our only obligation will be, at our option, to replace any portion proving defective or to refund the purchase price thereof. The buyer assumes all other risk, if any, such as the risk of any direct, indirect or consequential loss or damage arising out of the use of or inability to use, these products.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND MAY NOT BE VARIED OR EXTENDED EXCEPT IN WRITING BY AN AUTHORIZED OFFICIAL OF SALISBURY.

Salisbury by Honeywell

Your complete safety solution.

We have everything you need to meet the NFPA 70E Standards and OSHA 29 1910.269 Regulations. Which have been established to protect workers from electrical shock and arc flash hazards. For example, the NFPA 70E Standard specifies areas in which arc flash protection is required for workers. All personnel within the defined boundaries must wear specified protective equipment, even on circuits as low as 50 volts. The NFPA 70E Standard and OSHA Regulations MUST be met, and Salisbury has made it easy to meet them.

We take your safety seriously.

AUTHORIZED DISTRIBUTOR



facebook.com/SalisburybyHoneywell



youtube.com/Salisbury1855

SALISBURY

by Honeywell

Honeywell Safety Products

101 E. Crossroads Pkwy, Ste A

Bolingbrook, IL 60440 USA

Phone: 1-630-343-3800

Fax: 1-630-343-3838

www.salisburybyhoneywell.com

ARCCAT-121215-RV102015

January 2016

© 2016 Honeywell International Inc.

Honeywell